



Majestic 75-1300 Yellow Bomber with Hood

- PU coated polyester with fully taped seams
- Sewn in quilted liner
- Cell phone pocket
- Waterproof
- Elastic ribbed waist, wrist, and collar
- Detachable concealed hood
- Meets ANSI/ISEA 107-2004 Class 3 standard
- Size M-4XL



ML KISHIGO

1056 Contrasting Mesh Vest

- Ultra-Cool™ 100% polyester mesh
 - Zipper front closure
 - 2" wide high performance reflective material with 4.5" contrasting color
 - Inside left chest 2-tier, 4-division pencil pocket
 - Lower right inside patch pocket
 - ANSI 107 Type R | Class 2 Compliant
 - 1/ea
 - Size S-5XL
- ⚠️ WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Showa 381

- Durable, lightweight and extremely comfortable
 - Ideal for assembly and precision handling tasks in dry and light oily handling conditions
 - Embossed pattern on the microporous foamed nitrile palm
 - 12/pkg
 - Size S-2XL
- ⚠️ WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



T15102 Barricade Tape with CAUTION DO NOT ENTER Legend

- Yellow, 3-Inch Width
- High Strength, 1.5 Mil
- Non-Toxic, Non-Flammable
- UV Resistant Ink, Lead Free
- Remains Flexible in Cold Weather
- 1000 Feet Per Roll



HexArmor

HexArmor® Eyewear MX200

- Rimless lens design with wide field of vision
- Dual-injection soft-grip side arms for comfort and non-slip fit
- LTX® Lens Technology for premium optical clarity
- Metal-free hinge design
- Compliant with ANSI Z87.1.2015, and High Impact Rated Z87+
- 1/ea

11-10001-02	Clear Lens	TruShield® Coating
11-10002-03	Clear Lens	TruShield®2F Coating
11-10003-04	Clear Lens	TruShield®S Coating
11-10004-05	Clear Lens	TruShield®2SF Coating



159200201 Squwincher® Squeeze® Pops

- Quickly cools body temperature
- Frozen electrolyte replenishment
- Assorted Flavors
- 150/cs



Kleenguard™ Nemesis* Safety Glasses

- Sporty, flexible, lightweight design w/wraparound, 8-base curve lens
- Patented FLEX-DRY* designed to be extremely flexible, to channel sweat away from the eyes
- Meets ANSI Z87.1+ standards
- 1/ea
- 22608 Camo Frame, Clear Anti-Fog Lens



Honeywell Uvex Avatar™ OTG Safety Glasses

- PC Lens, Anti-Reflective, and Hardcoat
- Ratchet, wire-core, adjustable temples, flexible and adjustable nose
- Patented Indirect venting system, soft brow frame with Multi-Material Technology® Plus
- Meets ANSI standards and is CSA Certified
- Other color frames and lenses available
- 1/Ea

What's Inside:

Eye Protection	2
Head & Face Protection	3
Air Horns	3
Hand Protection	4-5
Hi-Viz Apparel	6
Ergonomics	6
Hearing Protection	7
Water Safety	7
Fall Protection	8-9
Lighting	9
Respiratory	10
Gas Detection	11
Disposable Clothing	11
Tapes & Adhesives	11
Heat Stress	12
First Aid	12
Welding Markers	12

EYE PROTECTION

bolle
SAFETY



Bolle Safety Rush+ Assembled

- Upper protection
 - Co-injected, Ultra-Flex Temples
 - Non-slip adjustable bridge
 - Assembled with foam and strap
 - 1/Ea
- 40252 Red/Black Frame, Clear AS/AF Lens
40258 Grey/Black Frame, Twilight AS/AF Lens

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

bolle
SAFETY



Bolle Safety Rush+

- Scratch and fog resistant Platinum® coating
 - Adjustable non-slip bridge
 - Co-injected, ultra-pliable and bi-color temples
 - Superior optics
 - 1/Ea
- 40208 Grey/Black Frame, Smoke AS/AF Lens
41080 Red/Black Frame, Clear AS/AF Lens

bolle
SAFETY



Bolle Safety Baxter

- Increased protection
 - Wrap-around frame
 - Waterproof foam and removable strap
 - Platinum coating
 - 1/ea
- 40276 Blue/Black Frame, Clear AS/AF Lens
40277 Blue/Black Frame, Smoke AS/AF Lens
40278 Blue/Black Frame, CSP AS/AF Lens

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Kimberly-Clark
PROFESSIONAL

KLEENGUARD™

Kleenguard™ 49309 Maverick™ Safety Glasses

- Modern sleek and stylish lightweight
- Integrated side shields and browguard
- Comfort touch points on the temples and nose bridge
- Polycarbonate lenses provide 99.9% UVA/ UVB/UVC protection
- Meets the ANSI Z87.1+ standards for optical and impact protector requirements
- Clear Anti-Fog lenses with Black Frame
- 1/Ea



MCR
SAFETY

MCR LCT Lens Cleaning Towelettes

- Lens Cleaning Station
- Wrapped in Individual Packets
- 100/Bx

MCR
SAFETY

MCR 9800 Safety Glasses

- Dielectric, no metal parts
- Single lens design with integral side shields for greater orbital seal
- Spatula temples
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays
- ANSI Z87+ and CSA Z94.3
- 1/Ea



3M

SecureFit™ Protective Eyewear

- Durable lenses help provide limited protection from light to moderate impact hazards
- 3M™ Pressure Diffusion Temple self-adjusts to provide a secure, comfortable fit
- Padded temples for added comfort over the ears
- Impact-resistant lenses block 99.9% of UV rays
- Meets the requirements of ANSI Z87.1
- Available in many lens options
- 1/ea



Honeywell
UVEX



Honeywell Uvex D3961C Stealth Safety Goggles

- PC, Toric lens, Hydroshield AF, Dura-streme AF/HC
- Polypropylene, elastomer goggle body
- Quick-adjust, latex-free headband, in Neoprene or fabric
- Meets ANSI Z87.1+ - 2015 standards
- Available in many different lens options
- 1/Ea

MCR
SAFETY

MCR HK1 Series Safety Glasses

- Soft, secure TPR nose pad
 - Non-slip soft temple material
 - Excellent orbital seal for eye protection
 - Meets ANSI Z87+
 - 1/Ea
- HK112AF Gray Temples, Gray Anti-fog Lens
HK113 Light Blue Temples, Light Blue Lens
HK114 Amber Temples, Amber Lens



SAS
SAFETY CORP.

SAS NSX Turbo Safety Glasses

- High-impact polycarbonate lens
 - 99.9% UV protection
 - Scratch resistant coating
 - Lightweight wrap-around lens
 - Non-slip temples
 - Meets ANSI Z87.1+
 - 1/Ea
- 5330 Clear Lens
5331 Gray Lens
5334 Indoor/Outdoor Lens



SAS
SAFETY CORP.



SAS VX9 Safety Glasses

- High-impact polycarbonate lens
 - 99.9% UV protection
 - Anti-fog and scratch resistant coating
 - Non-slip nose piece and temples
 - Meets ANSI Z87.1+
 - 1/Ea
- 5510-03 Black Frame, Amber Lens

Honeywell
UVEX



Honeywell Uvex Seismic Safety Glasses

- HydroShield Anti-Fog coating
 - PC lens, Dura-streme AF/HC, Uvextreme AF
 - Face cushioning, padded temple tips, flexible nose pads, adjustable headband
 - Comes with removable temples, headband and cushioned subframe
 - Meets ANSI Z87.1+ - 2015 standards
 - 1/Ea
- S0600X Black Frame, Clear AF Lens
S0602X Black Frame, Amber AF Lens
S0600 Orange Frame, Clear AS/AF Lens

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HEAD & FACE PROTECTION



MSA V-Gard® Full Brim Hats

- Durable, high-density polyethylene shell
- Fas-Trac® ratchet suspension system
- Includes Cushionaire™ sweatband and adjustable crown straps.
- Meets ANSI Z89.1-2009, Type 1, Class E and voluntary standard for low temperature (LT) and reverse donning.
- 1/ea
- Colors, White, Yellow (More colors available)



MSA V-Gard® Standard Caps

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® ratchet suspension
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- Multiple colors available



MSA 475407 Skullgard® Protective Hat

- Skullgard helmets have been tested to radiant heat loads producing temperatures up to, but not exceeding, 350F.
- Smooth crown for easy use of MSA welding equipment
- Fas-Trac® III Suspension
- 1/ea
- Colors: Natural Tan



3M™ SecureFit™ Safety Helmet

- Climbing helmet-inspired design
- Suspension system incorporates exclusive patented Pressure Diffusion Technology
- Works with a variety of 3M faceshields, earmuffs, and other accessories
- Customize your fit with multiple levels of vertical adjustment
- Meets ANSI Z89.1
- Available in many colors
- 1/Ea



Honeywell Fibre-Metal Roughneck P2A Caps

- Built for strength, toughness and durability
- Exceptional impact and crack resistance
- Eight load-bearing points balance weight and impact energy over wide area for added comfort and safety
- Multiple colors available
- P2A Cap Style Extreme temps of up to 370°
- P2HN Cap Style Extreme temps of up to 500°



MSA 696688 Terri-Band Sweatbands

- Snap-in sweatbands fit all MSA helmets
- Absorbent and comfortable
- Machine washable
- 10/pk



Jackson Safety 46129 Insight Variable Auto Darkening Welding Helmet, HSL100

- Lens features variable shade (9-13)
- Wide viewing area 3.93" x 2.36"
- Sensitivity and delay adjustments
- Four (4) independent auto dimming sensors
- Digital controls
- Meets ANSI Z87.1+ standards
- Black



Weldas 20-3200 SWEATSopad® Hard Hat Welding Sweatbands

- Reduces irritation from hard hats or other headgear
- Made of all fleece cotton and is comfortable in the summer or winter
- Flame retardant for the safety of the welder
- 1/ea

AIR HORNS



FIAMM 65805 Mega Blast Siren Horn

- Rechargeable via the included USB plug and adapter
- Extremely loud: 122dB
- Works in extreme cold, when regular air horns stop working
- Weatherproof & shock resistant solid state electronics
- Meets U.S. Coast Guard requirements
- No need to replace air canisters, or carry an air pump to re-fill
- 1/ea



FIAMM 6580823 Big Horn Air Horn

- Environmentally friendly
- Output of 125 decibels, at 1 meter
- Meets all coast guard requirements
- Refill air cannisters available (2000821)
- 12/Cs



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HAND PROTECTION



Ansell

Ansell 11-840 Hyflex®

- Foam coating is 20% more breathable than earlier formulations - for cooler, drier hands and less sweat
- Snug, second-skin tailoring tightens the fit across the palm for added comfort and dexterity improving dexterity when moving between tasks
- 12/pk
- Size 6-10 (More sizes available)



Ansell

Ansell 11-644 Hyflex®

- Enhanced cut protection, wear life, and comfort with a high level of dexterity
- High dexterity with longer wear due to low palm weight and excellent abrasion resistance
- 12/pk
- Size 6-10 (More sizes available)

⚠️ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Ansell

Ansell 197-011 ActivArm®

- 2-ply acrylic brushed liner keeps hands warm in extreme cold, as well as cut and abrasion protection
- Tested to perform at -4°F/-20°C
- ¾ double-dipped nitrile coating has a sandy finish for excellent wet/oily and dry materials handling
- 6/pk
- Size 8-11



MAJESTIC

Majestic 3228 SuperDex

- Micro foam nitrile palm dip coating
- Ultra cool, breathable coating keeps your hands cool and dry
- 15 gauge liner for lightweight comfort
- Pre-Curved finger design to minimize hand fatigue
- 12/pk
- Size S-XL (More sizes available)



Honeywell

NORTH

Honeywell North NF11 NorthFlex Red™

- Lightweight, 15 gauge nylon glove
- Foam PVC coating on palm and fingertips
- No coating on back of hand for added ventilation
- ANSI/ISEA 105 - ASTM D3389-05 Abrasion Test
- ANSI/ISEA 105 - ASTM F1790-97 Cut Test
- 1/pr
- Size 8-10 (More sizes available)



Honeywell

Honeywell 42-612BY Rig Dog™ Xtreme Gloves

- Elevated fingertip protection
- Ergonomic design for high dexterity
- Impact resistant property on knuckle
- High visibility green TPR fingers
- High visibility red palm
- Slip-on cuff
- 12/pk
- Size M-XL (More sizes available)



MFF-05 FastFit® Work Gloves

- Form-fitting TrekDry® material keeps hands cool
- Stretch-elastic cuffs create a secure fit
- Reinforced thumb and index finger
- Anatomically designed two-piece palm design eliminates material bunching
- High-dexterity synthetic leather infused with touchscreen technology
- 1/pr
- Size M-XL (More sizes available)



SMP-91 Hi-Viz M-Pact® Gloves

- Thermoplastic Rubber (TPR) impact protection meets EN 13594 impact standard
- TPR pinch-point fingertip protection
- Armortex® palm reinforcement
- Touchscreen capable synthetic leather
- D30® palm padding absorbs and dissipates high-impact energy through the palm
- 1/pr
- Size M-XL (More sizes available)



WELLS LAMONT Industrial

Wells Lamont Y0135 Grain Leather Driver Economy

- Economy choice
- Gunn cut
- Straight thumb
- Bound hem
- 12/pk
- Size S-XL



WELLS LAMONT Industrial

Wells Lamont VS 7 Value Series Cut Resistant Gloves

- Heavy duty cut resistant glove
- Wireless option to complement the Whizard® line of cut resistant gloves
- CFR 21 – approved for food contact
- ANSI Level A6
- Gauge 7
- 1/pr
- Size S-XL (More sizes available)



HAND PROTECTION



N200BLK Black Nitrile Powder-Free Gloves

- Hides dirt and stains
- Rich black color provides sharp contrast
- Not made with natural rubber latex
- Textured surface for improved grip
- 100/Bx
- Size S-XL



HexArmor

2092 Rig Lizard® Thin Lizzie™ Gloves

- High-performance polyethylene and glass fiber blend shell
- Flexible sandy nitrile palm coating
- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design
- Padded palm for vibration reduction
- Elastic cuff with Velcro® closure
- ANSI/ISEA 138 Level 1 impact protection
- ANSI/ISEA cut level A4 protection
- 1/pr
- Size S-2XL

HexArmor

4060 Chrome SLT® Gloves

- Goatskin leather palm
- SlipFit® cuff assists a quick on and off
- Back-of-hand impact protection
- 360 degree A5 cut protection
- ANSI/ISEA 138 Level 1 protection
- EN407:2004 certified for Contact Heat Level 2, and large splashes of molten metal Level 1
- Lab tested in accordance with HRC ATPV: 23.6 Cal/cm2 for a level 2 performance
- 1/pr
- Size S-2XL



6657 Astro-Grip Nitrile Disposable Glove

- Powder-free nitrile, non-latex
- Thickness: 7 mil
- Dual-sided scale textured surface for superior grip
- High-visibility orange color
- Exceptional chemical and puncture resistance
- 100/bx
- Size M-2XL



10-2327 Prestigious DEERSOsoft® Best TIG Gloves

- Improve the welder's control by molding to the shape of their hand like a second skin and offer excellent protection
- 4" cuff
- Golden Split Deerskin
- 1/pr
- Size M-L

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BHG Box Handler® Gloves

- Patented Diamondclad® Silicone Fused Palm for ultimate grip
- Duraclad® reinforced 8X more durable than synthetic
- Neoprene knuckles offers protection and breathability
- Hybrid cuff system for secure fit, built-in quick release feature
- 1/pr
- Size S-XL (More sizes available)



Tillman 1414 Cowhide Drivers Gloves

- Top grain cowhide palm and back
- Keystone thumb
- Double stitching
- Unlined
- Sizes: S-2XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



INDI-CCP Cotton Corded

- Cotton corded palm provides low cost all-around grip
- IVE™ optical technology that extends the field of visual recognition
- Impact protection on fingers, thumb, knuckles and metacarpal bones
- 1/pr
- Size S-2XL (More sizes available)



Tillman 24C TIG Welders Gloves

- Premium top-grain kidskin leather enhances feel and dexterity
- Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection
- 1 pair
- Sizes: S-XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



HW6X Heatworx® Heavy Duty

- Extreme heat protection up to 600°F
- Molded Silicone Palm With Kovenex® Liner for extreme heat resistance
- Ironclad Hotshield® Technology for heat resistance without sacrificing dexterity
- Extended gauntlet cuff for added protection and comfort
- 1/pr
- Size S-2XL



HI-VIZ APPAREL



ML KISHIGO®

1242 6 Pocket Contrast Mesh Vest Lime

- Ultra-Cool™ 100% polyester mesh with solid pockets
- Zipper front closure
- 2" wide high performance reflective material with 3" contrasting mesh
- Left chest mic tab, outside left chest radio pocket
- Outside right chest 2-tier, 3-division pocket
- Inside lower patch pockets
- Two lower outside solid material patch pockets with flaps
- ANSI 107 Type R | Class 3 Compliant
- 1/ea
- Size S-5XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ML KISHIGO®

1174 Contrasting Mesh Breakaway Vest

- Ultra-Cool™ 100% polyester mesh
- Hook & loop breakaway shoulders, sides & front closure
- 2" wide high performance reflective material with 4.5" contrasting color
- Left chest mic tab
- Inside left chest 2-tier, 4-division pencil pocket
- Lower right inside patch pocket
- ANSI 107 Type R | Class 2 Compliant
- 1/ea
- Size S-5XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Majestic 75-3201 High Visibility Mesh Vest, ANSI 2

- High visibility yellow polyester mesh vest
- Includes one inside chest pocket and two inside waist pockets
- Mic tab
- Zipper front closure
- 2" reflective striping
- Meets ANSI/ISEA 107-2015 Class 2, Type R Standard
- Size M-XL (More sizes available)



Ergodyne GloWear® 8205HL Type R Class 2 Super Econo Mesh Vest

- ANSI-compliant polyester mesh (3.3oz)
- Hook and loop closure
- 2" ANSI-compliant reflective
- Orange
- 1/Ea
- Size L/XL



MCR VCL2SL Safety Vest, Economy Class 2

- ANSI/ISEA 107-2015 Class 2, Type R compliant
- Hook and Loop front closure
- 2 inch silver reflective stripes
- 2 outer and 1 inner pocket
- Value series option, solid material
- 1/Ea
- Size M-4XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MCR WCCL2LFR Safety Vest, Class 2, Limited Flammability

- ANSI/ISEA 107-2015 Class 2, Type R compliant
- Dielectric / Non-conductive Zipper front closure
- 4.5" orange/silver reflective stripes for ample contrast
- 2 inner pockets
- Limited Flammability, NOT intended for use as protection against ARC Flash or Flash Fire
- This garment is not flame resistant as defined by ANSI/ISEA 107-2015 Section 10.5.
- 1/Ea
- Size M-4XL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ERGONOMICS



ProFlex® 1650 Economy Elastic Back Support Brace

- Economical spandex body
- Non-conductive polypropylene stays
- 7.5-inch body for extra firm support
- Adjustable, detachable suspenders
- Machine wash
- Sizes: M-XL



125 Value Contoured Hard Cap

- Heavy Duty Protection
- EVA foam padding provides support and protection
- PE plastic hard cap
- Durable polyester and tricot fabrics
- Hook & Loop closure
- 1/pr



Ergodyne Squids® 3400 Grabber

- Don't lose your items. Clip them to you!
- Grabber clip mounts to d-rings, clothing, etc.
- Durable, ultra-resilient acetal copolymer
- Dielectric / non-conductive material
- Grabbers disconnect and can be used independently
- Colors: black, orange, lime, blue
- 1/ea



HEARING PROTECTION

MOLDEX



Moldex 6680 Soothers Moisturizing Earplugs

- Hydrates and moisturizes for all day comfort
- Soft foam and tapered shape for added comfort
- Non-irritating smooth surface
- Independently tested to ANSI S3.19-1974
- NRR 33
- Uncorded
- 200pr/bx

MOLDEX



Moldex Pura-Fit® Disposable Foam Earplugs

- Highest independently tested NRR
 - Extra-soft, low-pressure foam for comfort and fit
 - Tapered shape for easy insertion and removal
 - Non-irritating smooth surface
 - 100% PVC-Free®
 - NRR 33
- | | | |
|------|----------|----------|
| 6800 | Uncorded | 200pr/bx |
| 6900 | Corded | 100pr/bx |

MOLDEX



Moldex 6100 M1 Premium Folding Earmuff

- SoftCoat® covering helps muffle transmitted noise
- Exclusive iridescent color and curvy shape for great looks
- Molded grips make fitting easy and quick
- NRR 29
- 1/ea

3M

3M™ E-A-R™ 310-1001 Classic™ Earplugs



- Slow recovery, low pressure foam conforms to the shape of the ear canal
- Moisture-resistant—helps maintain a consistent expansion time, even in humid environments
- Flame resistant—important for potential arc flash situations and for storage considerations
- NRR 29 dB
- Uncorded, Pillow pack
- 200pr/bx

Honeywell
HOWARD
LEIGHT



Howard Leight™ MAX® Earplugs

- Contoured design easier to insert, resists tendency to back-out of ear canal
 - Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
 - NRR 33
- | | | |
|--------|----------|----------|
| MAX-1 | Uncorded | 200pr/bx |
| MAX-30 | Corded | 100pr/bx |

3M

3M™ H10A Peltor™ Optime™ 105 Earmuffs



- Over the head ear muffs
- “Double-shell” earcup design
- Liquid foam-filled cushions provide good seal and low surface pressure
- NRR 30
- 1/ea

Honeywell
HOWARD
LEIGHT



Howard Leight™ 1035127-VS VeriShield™ 100 Series Passive Earmuffs

- Helmet earmuff, high visibility
- Fit a wide range of head sizes
- Wide cup opening with memory foam ear cushions
- Memory foam ear cushions
- Air Flow Control Technology
- NRR 30
- 1/Ea

WATER SAFETY



1223ORG-00-000 Force™ II Life Vest

- Aquafoam™ Flotation Foam retains buoyancy, even when punctured
- 3M™ Scotchlite™ SOLAS-grade reflective strips on the front and back improve visibility
- Compatible with most types of fall protection harnesses for added safety
- US Coast Guard-approved
- Size: Universal



1339ORG-00-000 Ultra 3000 Automatic Inflatable Life Jacket

- Features a thin profile and lightweight design
- Automatically inflates when submerged in water
- Comfortable and allows for a wide range of motion
- Equipped with a backup lanyard and oral inflation tube
- Has an adjustable 2” belt and reflective tape
- Provides 33.7 pounds of buoyancy when inflated
- USCG approved Type V PFD
- Size: Universal



I465ORG Versatile™ Vest

- US Coast Guard-approved Type III performance
- Plenty of workplace storage: four roomy hook-and-loop pockets, a couple D-rings and eyelets to attach safety equipment
- Flotation foam inserts offer up buoyancy and maneuverability
- 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels for added visibility
- 15.5 lbs (69 Newtons) buoyancy
- Size: S-3XL

FALL PROTECTION



MSA 10072479 Workman® Harness

- Integral lumbar support pad for work positioning and comfort
- BACK D-ring
- Qwik-Fit leg straps
- Qwik-Fit chest strap
- Web retainer collars to keep excess webbing neat
- Size: Standard
- 1/Ea



MSA 10041591 TechnaCurv® Harness

- Curvilinear comfort system
- Visco-Elastic shoulder padding
- Sorbtek fabric on the shoulder and sub-pelvic pads
- BACK D-ring
- Tongue leg buckles
- Qwik-Fit chest strap
- Size: Standard
- 1/Ea



Honeywell Miller T4500/XXXLAK Titan™ II Non-Stretch Harness

- Mating Buckle Chest Strap
- Tongue Buckle Leg
- Non-slip back D-ring pad keeps D-ring in position
- Hi-Viz durable, lightweight color webbing
- 400 lb. Capacity
- Size: 3XL



Guardian Velocity Full-Body Harness

- 5 Points of adjustment
- Pass-through chest strap
- Tongue buckle leg straps
- Dorsal D-ring
- Padded D-ring placard
- Impact indicator
- Sub-pelvic strap
- Contrasting core webbing to indicate wear and aid inspection
- Dual lanyard keepers
- Capacity: 130-420 lbs.



Honeywell Miller AC-TB/UGN Miller AirCore Harness

- Quick-Connect chest
- Tongue buckle leg
- Unique breathable, open-core padding technology
- Patented DuraFlex stretchable webbing provides greater flexibility
- Stand-up back D-ring easily adjusts
- Size: Standard



Honeywell Miller T4500/UAK Titan™ II Non-Stretch Harness

- Adjustable back D-ring
- Tongue buckle legs
- Mating buckle chest and friction buckle vertical adjusters
- Size: L/XL

- 01703 Dorsal D-Ring Size: S-L
- 01704 Dorsal D-Ring Size: XL-2XL
- 01705 Side D-Rings Size: XL-2XL



3M™ Protecta® 1161309 Construction Style Positioning Harness

- Back and Side D-Rings
- Shoulder/Hip Padding
- Tongue-Buckle Leg Connection
- Pass-Through Chest Connection
- Size: Medium/Large
- 1/Ea



Fall Protection

3M™ DBI-SALA® Delta™ 1102000 Vest-Style Harness

- No-tangle design
- Stand-up back D-ring
- Tongue buckle leg straps
- Repel™ webbing
- Built-in lanyard keepers
- Revolver™ vertical torso adjusters
- Size: Universal
- 1/Ea



MSA 63111-00A V-TEC™ Mini Personal Fall Limiter

- Designed with a clear casing, to allow the user to see inside the unit to ensure its functioning properly, giving the user 100% confidence and peace of mind
- 6 ft. (1.8m) single-leg
- AL36CL snaphook
- Steel carabiner (top)
- 1/Ea



Fall Protection

3M™ DBI-SALA® Nano-Lok™ 3101532 Arc Flash Quick Connect 8 ft. Self Retracting Lifeline

- Arc flash rated
- Built-in connector for single-leg SRL direct attachment to harness
- 8 ft. (2.4m) 3/4" (19mm) Kevlar® fiber webbing lifeline
- Self-locking snap hook on lifeline
- 1/ea



Fall Protection

3M™ DBI-SALA® Nano-Lok™ 3500231 Edge Twin-Leg Quick Connect Self Retracting Lifeline

- Designed for foot-level tie-off and sharp edge applications
- Built-in connector for twin-leg SRL direct attachment to harness
- 8 ft. lifeline with 3/16" galvanized steel cable lifeline
- 1/Ea



Honeywell Miller MFLC-12-Z7/6FT Twin Turbo G2 Connector System

- Reduces fall clearance requirement
- Connects to harness webbing below the D-ring
- 6-ft Model
- Aluminum rebar hooks
- 600 lb. gate strength



Honeywell Miller RL20G-Z7/20FT MightyLite Cable Self-Retracting Lifeline

- Corrosion-resistant stainless steel and aluminum housing
- Ideal for hard-to-mount locations
- 20-ft. galvanized wire rope (3/16") lifeline
- Carabiner and tagline included
- ANSI Z359-2007 Compliant

FALL PROTECTION



3M™ DBI-SALA® 2000112 Saflok™ Carabiner

- 11/16 in. gate opening steel carabiner
- Self-closing and locking gate for added safety
- Highly corrosion resistant plated hardware
- High strength steel construction
- 1/Ea



3M™ Protecta® 1200101 PRO-Line™ Temporary Horizontal Lifeline System

- Complete 60 ft. (18.3 m) system includes tensioner, energy absorber and anchors
- Lightweight 2" (50.8mm) web lifeline
- Two 6 ft. (1.8m) tie-off adaptor anchors included
- Extremely lightweight and portable design
- 1/Ea



3M™ DBI-SALA® 9501403 Suspension Trauma Safety Straps

- Suspension trauma safety strap
- Allows user to stand in harness after a fall
- Attaches to almost any harness
- Extremely compact and lightweight design
- Simple and fast zipper style deployment
- In-field re-setable design
- 1/ea



Guardian 10726 Tool Lanyard with Mini Carabiner

- Locking carabiner is self-locking and self-closing
- Certified to carry tools up to 20 pounds in combined weight
- Install to a tool belt or around the wrist
- Securely attach tools to wrist or tool belt
- 1/Ea



Guardian 10800 Safe-T™ Ladder Extension System

- Designed to attach over the top of the ladder and provide a safe and easy transition from the ladder to a second surface
- Requires no tools, drilling or bolting to hold it securely in place
- Two offsetting handrails
- 1/Ea



LIGHTING



Energizer MS2AALED Intrinsic Safe 2AA LED Flashlight

- Class I Division I rated
- MSHA Approved, ATEX Certified, UL Listed
- Impact-resistant, Waterproof
- Survives 1-meter drop test
- Oil and grease resistant body
- Light Output: 40 lumens
- Runtime: 12 hours
- 1/ea



Energizer Industrial Alkaline Batteries

EN91	AA	24/Pk
EN92	AAA	24/Pk



75763 Stinger DS® HPL Flashlight

- Access variable lighting modes via the tail cap or the head-mounted switch
- Three modes and strobe: high, medium, low and strobe
- Machined aircraft aluminum body with non-slip rubberized comfort grip
- IPX4 water-resistant; 3 meter impact resistance tested
- Deep-dish parabolic reflector produces a long-range targeting beam with optimum peripheral illumination
- 3-cell, 3.6 Volt NiMH sub-C battery, rechargeable up to 1000 times



Energizer HDBIN32E Vision HD LED Headlight

- Three headlamp light modes: white spot light, white flood light, and spot and flood together
- Dimmable to control brightness and runtime
- Pivots to direct light where you need it
- Durable light is water resistant with a shatterproof lens
- 1/ea



68602 4AA ProPolymer® Lux Division 1 Flashlight

- 100 lumens typical; up to 4,200 candela peak beam intensity
- IP67 Ingress Protection; Shock resistant (drop test verified)
- Rubber-booted, tailend, push-button tailswitch for one handed operation
- High Lumens: 100
- Run Time on High: 6 hours
- Battery Type: (4)AA Alkaline



3M

3M™ 8210 N95 Particulate Respirator

- Two-strap design with welded dual point attachment helps provide a secure seal
- Adjustable noseclip helps provide a custom fit & secure seal
- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 20/bx



3M

3M™ 8511 N95 Particulate Respirator

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator
- Adjustable M-noseclip reduces potential for eyewear fogging
- 10/bx



3M

3M™ 6000 Series Full Facepiece Reusable Respirator

- Large lens provides a wide field of view for excellent visibility
- Lightweight well-balanced design and silicone face seal for enhanced comfort, durability and ease of cleaning
- Sizes: small, medium, large
- 1/Ea



SAS
SAFETY CORP.

SAS 8610 N95 Particulate Respirator

- 95% filter efficiency level effective against particulate aerosols free of oil
- Maintenance-free construction
- Adjustable nose bridge with foam strip to reduce the potential for eyewear to fog
- Latex-free stapled fixed head strap
- 20/bx



SAS
SAFETY CORP.

SAS 8611 N95 Valved Particulate Respirator

- 95% filter efficiency level effective against particulate aerosols free of oil
- Maintenance-free construction
- Exhalation valve for easy breathing
- Adjustable nose bridge with foam strip to reduce the potential for eyewear to fog
- Latex-free stapled fixed head strap
- 10/bx



MSA
The Safety Company

MSA™ 815444 Advantage® 200 LS Half-Mask Respirator

- Lightweight, cost-efficient
- Thermoplastic rubber increases softness and decreases weight
- Multiflex system equalizes facial pressure
- AnthroCurve conforms to each user's face
- Sizes: Small, Medium, Large



MOLDEX

Moldex 4800 N95 AirWave Particulate Respirators

- Exclusive easy-breathing wave design
- Can be used against most welding fumes (free of oil)
- Dura-Mesh shell resists collapsing in heat and humidity
- Softspun® lining for increased comfort and durability
- Soft foam nose cushion and contour shaped for comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2009 Section 7.11.1
- Size: Medium/Large
- 8/bx



MOLDEX

Moldex 7000 Series Respirator Facepiece

- 100% PVC-Free®
- Sleek design for modern, high-tech look and increased worker acceptance
- Light weight design plus extra-wide sealing area provides all-day comfort
- Size: Small-Large



MOLDEX

Moldex 7100 Organic Vapor Cartridge

- 100% PVC-Free®
- Can be used with both 7000 and 9000 series respirators.
- 2/pk



MSA
The Safety Company

MSA™ 10102184 Advantage® 420 Half-Mask Respirator

- Respirator boasts several features to increase comfort and provide customized fit
- Four-point yoke and harness design promotes easy donning and doffing
- Easily switches between lock-down and drop-down mode
- Designed for easy integration with other personal protective equipment
- Latex-free
- Sizes: Medium, Large

GAS DETECTORS



- 10178557 4XR Multigas Detector**
- Rapid-response MSA XCell® sensors
 - Toughest 4-gas monitor on the market
 - Also provides real-time incident awareness to team members, supervisors, safety managers and others when paired with the MSA ALTAIR Connect app via a Bluetooth® wireless connection
 - 1/Ea



- 10116926 5X Multigas Detector**
- Measures up to 6 gases including natural gas
 - Now available with integrated PID sensor for VOC detection
 - Delivers faster response time, better stability, accuracy, longer service life, and cost savings over the life of the instrument
 - 1/Ea



ToxiPro® Single Gas Detectors

- Small, lightweight design
- Robust, shock-resistant housing
- Fully illuminated backlit LCD
- Continuous, real-time gas readings
- Max, STEL and TWA readings
- Highly visible bright LED visual alarms (red and yellow)
- Automatic black box datalogger
- O₂, CO, H₂S, SO₂, CO-H, Cl₂, NH₃, NO₂, PH₃, HCN
- 1/Ea

PROTECTIVE CLOTHING



DuPont™ TY122 Tyvek® 400

- An ideal balance of protection, durability and comfort
- Comfort fit design allows for a greater range of motion and fewer blowouts
- Breathable inherent barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- Excellent abrasion resistance; protects against hazardous particles down to one micron in size
- When used with other PPE, can help reduce risk of cross-contamination in pandemic response activities
- Serged seams
- Attached hood (respirator fit)
- Front zipper closure
- Storm flap
- Elastic wrists
- Elastic ankles
- Elastic waist
- Attached skid-resistant boots
- Comfort fit design
- 25/cs
- Size S-5XL



TAPES & ADHESIVES



Scotch® 06132 Super 33+™ Vinyl Electrical Tape

- The combination of the pressure-sensitive, rubber-resin adhesive and the PVC backing offers electrical and mechanical protection
 - Tensile strength rating of 15 lbs. per inch meets professional electrical standards
 - ¾ in. x 66 ft
 - 1/r/1
- ⚠ WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3M™ 6969 Extra Heavy Duty Duct Tapes

- Designed for general use in MRO/construction applications
- Removes cleanly for up to three months when applied indoors
- Strong water-resistant backing resists wear and light abrasion
- 48mm x 54.8m, 10mm thickness
- 1/r/1



3M™ Super 77 Multipurpose Adhesive

- Aggressive tack provides high initial grab, with enough time to position materials properly
- Sticks to: Cardboard; Ceramic; Fabric; Fiberglass; Foam; Glass; Leather; Metal; Paper; Plastic; Rubber; Vinyl; Wood
- 16.75 oz. cans
- 12/cs

HEAT STRESS



Squincher® ZERO Qwik Stik

Qwik Stik ZERO is a one-man hydration solution without the sugar or calories. Simply rip open a pack, pour into a bottle of water and let the hydration hit the spot.

- 10 oz. yield packets or 20 oz. yield packets
- Grape, Orange, Mixed Berry, Fruit Punch
- 50/bg



Squincher® ZERO Powder

Squincher® ZERO Powder Mix is a guilt free, sugar free electrolyte beverage. Add to 2.5 Gallons of water and serve.

- Grape, Orange, Lemon Lime, Fruit Punch
- 80 gallon case yield
- 4 bags of 8 packs per case



Coleman 3000000733 5 Gallon Beverage Cooler

- Easy-use spigot lets you conveniently fill your drink
- Screw-top lid stays secure on your adventures
- Side handles for easy, controlled lifting and carrying
- Made in the USA
- 1/Ea

FIRST AID



K615-025 FAC-3 - Class B 3 Shelf Metal Cabinet

- Heavy Duty Cabinets
- Filled with a large variety of high-quality first aid products
- Certified to meet Class B ANSI compliance



K615-011 16PW - Class A Poly White

- Heavy duty plastic case
- Filled with a large variety of high-quality first aid products
- Certified to meet Class A ANSI compliance



K615-029 FAC-4 - Class B 4 Shelf Metal Cabinet

- Heavy Duty Cabinets
 - Filled with a large variety of high-quality first aid products
 - Certified to meet Class B ANSI compliance
- R3# 328000091 K615-029

WELDING MARKERS



BRITE-MARK® Medium and Fine Tip Markers

- Make permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more
- Valve actuated mechanism prevents paint in barrel from drying when cap is left off
- Heavy duty aluminum body with large paint capacity
- Ideal for color coding
- Bullet tips are replaceable to ensure complete use of paint in each marker
- Drying Time: 25 – 35 seconds

