



MCR BD110PF Backdraft®

- Dielectric, no metal parts
- Lightweight, contoured frameless design
- Internal TPR side shields
- Soft, secure TPR nose pad
- MAX6™ Anti-fog coating
- Black TPR temple sleeves
- 1/ea



3M™ 11872-00000-20 Virtua™ CCS Protective Eyewear with Foam Gasket

- Unique temple design controls and holds the cord of the earplug to keep it securely in place
- Wraparound design provides extended eye protection and unobstructed viewing
- Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning
- 1/ea



Mechanixwear MFF-05 FastFit

- Form-fitting TrekDry® material helps keep hands cool and comfortable
- Elastic cuff provides a secure fit with easy on/off flexibility
- Reinforced thumb and index finger provide added durability
- Anatomically designed two-piece palm eliminates material bunching
- 1/ea
- Sizes 8-12



3M™ E-A-R™ Classic™ Earplugs

- Slow recovery, low pressure foam conforms to the shape of the ear canal for enhanced comfort and wearability
- Moisture-resistant
- Flame resistant
- NRR 29
- 310-1001 Uncorded 200/Bx
- 311-1101 Corded 200/Bx



FRMBCL2L - Flame Resistant (FR) Safety Vest

- FR Solid Modacrylic/Aramid blend fabric, fluorescent lime
- ANSI/ISEA 107-2015 Class 2, Type R compliant
- 2" Silver FR Reflective Stripes
- 5 Point Break Away feature, Hook and Loop closures
- Conforms to NFPA 70E, HRC1, arc rating 5.4 cal/cm2, meets ASTM F1506
- Size M-4XL



61200 3AA HAZ-LO® Headlamp

- Intrinsically safe - Class I, Div 1
- Push-button on/off switch easy to use even with heavy gloves
- Package includes both elastic head strap and rubber hard hat strap
- High Lumens: 50
- Run Time: 11 hours
- Beam Distance: 165 meters
- Battery Type: AA Alkaline
- Battery Quantity: 3



Honeywell

Honeywell LP550 E-Safe Plug Lockouts

- Completely encloses plug from any accidental reconnection
- Electrical cable is inserted through the opening and then closed
- Made of polypropylene plastic, which is totally dielectric and resists cold or hot temperature
- Multiple entry, accepts 220 V & 550 V plugs
- 1/ea



Honeywell

Honeywell M-Safe MS01 Lockout Hasp

- Heavy-duty hasp is made entirely of dielectric nylon
- Holds 1-6 padlocks allowing users to properly lockout equipment and prevent accidental operation
- Non-conductive and chemical-resistant for strength and durability
- 1/ea



Honeywell

Honeywell CBLOK10R Cable Lock-Out Device

- High-viz red nylon hasp
- Holds 6 padlocks
- Galvanized cable, PVC coated
- Cable length 10'
- 1/ea



SAS Electric Service Glove Kit

- Includes:
- 1 pair of Electrical Service Gloves
 - 1 pair of Leather Protector Gloves
 - 1-Storage Glove Bag
 - 1/ea
 - Size M-2XL

SAFETY PRODUCTS



MCR LW210 Law[®] 2

- Dielectric, no metal parts
- Single lens design with integral side shields for greater orbital seal
- Hybrid Temple Design
- Thermal Plastic Rubber (TPR) temple inserts and nose pads enhance grip and comfort
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays
- 1/ea



3M[™] SF420AF SecureFit[™] Protective Eyewear

- +2.0 reading diopter to help workers in small detail work
- 3M Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes eliminating the need to stock multiple frame sizes at worksites
- Anti-fog coating helps keep lenses free of moisture in hot and humid conditions
- 1/ea



Honeywell Howard Leight[™] QM24+ Noise Blocking Earmuff

- Ultra lightweight design
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments
- NRR 25



3M[™] Tri-Flange[™] P3000 Earplugs

- Triple-flanged, premolded earplugs fit comfortably in a wide range of ear sizes
- Soft, flexible flanges conform to the shape of the ear canal for comfortable noise reduction
- No need to roll earplugs before fitting so the tips stay clean even if hands are dirty
- Washable and reusable
- NRR 26
- Corded, 100/Bx



3M[™] E-A-R[™] UltraFit[™] 340-4004 Earplugs

- Premolded, triple flange earplugs fit comfortably in a wide range of ear sizes
- No need to roll earplugs before fitting so the tips stay clean even if hands are dirty
- Soft polymer is washable and reusable, reducing both waste and costs
- NRR 25
- Corded, 100/Bx



Moldex SparkPlugs[®] 6604 Foam Earplugs

- Extra-soft, low-pressure foam for comfort and fit
- Tapered shape for easy insertion and removal
- Non-irritating smooth surface
- 100% PVC-Free[®]
- NRR 33
- Uncorded, 200pr/bx



3M[™] 7502 Half Facepiece Reusable Respirator

- Advance silicone material for increased comfort and greater durability
- Proprietary 3M[™] CoolFlow[™] valve helps makes breathing easier
- Dual-mode head harness adjusts easily for either standard or drop-down mode
- 1/Ea



Moldex 4200N95 Series AirWave[®] Disposable Respirator

- Exclusive easy-breathing wave design
- Softspun[®] lining for increased comfort and durability.
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.
- 10/bx



3M[™] 2091 Particulate Filter P100

- Versatile protection against many oil and non-oil based particulate contaminants
- 2/Pk



3M[™] 8210 N95 Particulate Respirator

- Two-strap design with welded dual point attachment helps provide a secure seal
- Adjustable noseclip helps provide a custom fit & secure seal
- 20/bx



3M[™] 6006 Multi Acid Gas/Organic Vapor Cartridge

- Protection against certain organic vapors, acid gases, ammonia, methylamine and formaldehyde
- 2/bx



3M[™] DBI-SALA[®] 1500104 Single Tool Holster with Retractor Harness

- Neoprene pocket with retractor
- Bottom drain vent
- High Visibility Reflectors
- Magnetic tool staging system holds tools in place

SAFETY PRODUCTS



SAS Electric Service Glove Class 0

- Rubber electric insulating glove
- Class 0 Type 1
- Meets ASTM D120 standards
- 12" length rolled cuff
- Lightweight
- Protects up to 1000 volts AC / 1500 volts DC
- 1/ea
- Size M-2XL



SAS Leather Protector Gloves

- Meets ASTM F696 standards
- Wear over rubber electric insulating service gloves
- Protects rubber insulating gloves from punctures and abrasion
- Electric Service Gloves not included
- 1/ea
- Size M-2XL



SAS 6465 Glove Storage Bag

- Made from heavy-duty canvas material
- Hook and loop closure
- Heavy-duty belt loops
- 2 pockets inside allow the storage for Electrical Service Gloves and Leather Protector Gloves
- Measures: 14 3/8" H x 8 5/8" W
- 1/ea
- Size M-2XL



Showa 240

- 13 Gauge knitted liner containing Kevlar®, Modacrylic, and Fibreglass
- Protects against arc flash: Arc flash level 2
- EN 388 Cut level 5 resistance
- Flame resistant materials
- 12/pk
- Size 9



The Work Pro Division



Tillman 1470 TrueFit

- Top grain Goatskin construction
- Leather and spandex design will outlast and outperform all-synthetic high dexterity gloves
- Rough side out double palm for longer life and better gripping power
- 1/ea
- Size M-XL



Wells Lamont Y0122

Grain Cowhide

- High quality cowhide leather has high abrasion resistance and good insulation
- Gunn cut, straight thumb, bound hem
- Double shirred elastic wrist keeps dirt out
- 12/pk
- Size M-XL



Fall Protection



3M™ DBI-SALA® 1244409 ShockWave™ 2

100% Tie-Off Shock Absorbing Lanyard

- 6 ft. (1.8m) double-leg 100% tie-off lanyard
- Stretches in reaction to your movements
- Abrasion resistant polyester tubular webbing
- User friendly self locking snap hook at center
- 1/ea



Fall Protection

3M™ DBI-SALA® 1500133 Safe Bucket

- Canvas bucket with hook and loop closure system, 100 lb. (45.4 kg) capacity
- Puncture resistant plating sewn into the base of the bucket
- Six built in connection points with 10 lb. (4.5 kg) load rating each



Fall Protection

3M™ DBI-SALA® Small Parts Pouch

- Innovative self-closure system
- Can be used from a belt or harness
- Made from 18 oz duck canvas
- Black
- 1/ea



Fall Protection

3M™ PROTECTA® PRO™ 1191210 Construction Style Positioning Harness

- Back D-ring
- Body belt/hip pad with side D-rings
- Tool and equipment rings
- Tongue buckle leg straps
- Parachute torso adjusters
- Durable polyester web construction
- Built-in lanyard keepers

Sizes: Medium-XLarge
More sizes Available

SAFETY PRODUCTS



MSA V-Gard® Standard Caps & Hats

- Durable high-density polyethylene shell designed with accessory slots
- Fas-Trac® ratchet suspension
- Includes Cushionaire™ sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- Many colors available
- 1/ea



DYKEM

BRITE-MARK® RoughNeck Tough Tip Marker

- Plastic tip resists fraying & disintegrating when used on rough surfaces
- Tip repels oil and grease and can be wiped clean
- Industrial-grade paint is UV resistant and withstands harsh outdoor conditions
- Drying time: 25-35 seconds
- 12/pk

- 84202 Med Tip Black
- 84203 Med Tip White
- 84204 Med Tip Yellow



42272 SCRUBS® IN-A-BUCKET

- Advanced cleaning formula with a strong, dual-textured towel
- Clean, citrus fragrance
- Advanced cleaning power
- For use on hands and surfaces
- No sticky residue
- 1/ea



90985 SCRUBS® Hand Sanitizer

- Kills 99.9% of Germs
- Dissolves Bio-film
- Prevents cross-contamination
- Helps reduce the risk of infection and disease
- 1/ea



AboveView™

- Featuring a see-through visor that allows workers to see hazards overhead
- Increases your upper peripheral view by more than 50%
- Flex-Gear® ratchet suspension
- Replacement visors are available in clear, grey and yellow tints
- Meets ANSI/ISEA Classification: Z89.1, Type I, Class E and G
- 1/Ea



- AVHYRC Yellow
- AVPBR Pacific Blue
- AVWHRC White

Replacement Visors

- AVPC Clear
- AVPG Gray
- AVPY Yellow



Occunomix 870B Snap-On Hard Hat Sweatband

- Plush, not scratchy
- Absorbent without having to wash first
- More economical than many other sweatbands
- Machine washable
- Available in Navy and Beige
- 1/ea



Ergodyne ProFlex® 1650 Economy Elastic Back Support

- 7.5 in. economical, all-elastic body
- 5 in. (12.7cm) single strap closure
- Non-conductive polypropylene stays
- Adjustable, detachable suspenders
- Size S-XL



I424ORG Work Zone Gear™ Life Vest

- US Coast Guard-approved Type III
- 3M™ Scotchlite™ Reflective Material SOLAS-grade 6187 on panels
- Two pockets with hook-and-loop tape closure
- D-ring for attaching gear
- Minimum 15.5 lbs. (69 Newtons) buoyancy
- 1/ea
- Size S-3XL



Class A First Aid Kits K615-011

16PW - Class A - Poly White

Includes:

- Certi-Strips - Plastic
- Triangular Bandage - w /Pins
- Certi-Gauze Pads
- Certi-Sporyn - Antibiotic Cream
- Antiseptic Towelettes
- Hand Sanitizer
- Certi-Tape
- Eye Pads-4 & Certi-Tape-4
- Certi-Burn Cream

- Gloves - Nitrile - Powder Free
- CPRotector® - Plastic Bag
- Water Jel Burn Dressing
- Cold Pack - Certi-Cool Junior
- Eye Wash
- Certi-Gauze Roll
- Scissors - Bandage - Red Handle
- Trauma Pad - Compress
- First Aid Facts Guide