INDUSTRIAL SAFETY PRODUCTS RESCENT FETY SERVICES, LLC

Volume 3 - Issue1

bollé.

Bollé Safety Tracker

- Upper protection
- · Removable foam reinforcement with indirect ventilation
- Lower protection
- Removable adjustable strap Side ventilation
- 1/ea
- 40085 Clear, Anti-scratch/Anti-fog
- 40086 Smoke, Anti-scratch/Anti-fog Twilight, Anti-scratch/Anti-fog 40088 40089 Welding Shade 5, Anti-scratch

3M[™] SecureFit[™] SF201AS

3M Pressure Diffusion Technology allows

temples to naturally adjust to individual

· Provides comfortable, durable, lightweight

without slippage even when the person is

Anti-scratch coating helps protect lenses

MOLDEX

• 100% PVC-Free®

Corded

Moldex Pura-Fit[®] Foam Earplugs

 Highest Independently tested NRR 33 • Tapered for easier insertion • Non-irritating, smooth surface

Uncorded 200 pr/bx

• Secure, snug fit keeps evewear in place

Protective Evewear

head sizes

in motion

• 1/ea

eve protection





Moldex 6845 Pura-Fit® PlugStation®

· Longer length for easy fitting and removal

MSA

equipment

not exceeding, 350F.

Fas-Trac[®] III Suspension

· Colors: Natural Tan

· Highest Independently tested NRR 33

Tapered for easier insertion

500 Pairs per Dispenser

• Non-irritating, smooth surface

MOLDEX

100% PVC-Free[®]

sprd. Nine

Spray Nine® 26832 Multi-Purpose **Cleaner & Disinfectant**

- Cleans
- Degreases
 - · Disinfects against virus and bacteria
- Sanitizes in 10 seconds
- Deodorizes and removes stains
- · Controls mold & mildew
- 12/cs







100 pr/bx



FIAMM 65805 Mega Blast Siren Horn

 Rechargeable via the included USB plug and adapter

6800 6900

- Extremely loud: 122dB
- Works in extreme cold, when regular air horns stop working
- Weatherproof & shock resistant solid state electronics
- Meets U.S. Coast Guard requirements
- · No need to replace air canisters, or carry an air pump to re-fill
- 1/ea



• 1/ea

FIAMM 6580823 Big Horn Air Horn

MSA 475407 Skullgard® Protective Hat · Skullgard helmets have been tested to radiant heat loads producing temperatures up to, but

· Smooth crown for easy use of MSA welding

- · Environmentally friendly
- · Output of 125 decibels, at 1 meter
- Ideal for construction work sites
- · Meets all coast guard requirements





Honeywell

Honeywell North 7700 Series Silicone Half Mask Respirators

- Flexible medical grade silicone facepiece
- Dual elasticity headstraps provide a secure and flexible fit.
- · Can be adapted to PAPR or Supplied Air to offer flexibility in the workplace.
- NIOSH Approved.
- Sizes: Small, Medium, Large



Honeywell NORTH

Honeywell North 7580P100 Particulate

- Filter P100
- P100 filter protection from all particulates.
- 99.97% filter efficiency
- 1 pair

Honeywell North 7583P100L Organic Vapor & Acid Gas Cartridge with P100 filter

- Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine
- Dioxide and P100 Cartridge/Filter Combination 1 pair

Honeywell North 75SCP100L Defender™ **Multi-Purpose Respirator Cartridges**

- Organic vapors, ammonia, methylamine, formaldehyde and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride and chlorine dioxide); and 99.97% filter efficiency for all particulates
- 1 pair

Honeywell North N75001 Organic Vapor Cartridge

- · Protection against organic vapors
- · Pad filters and adapters sold separately; see below for N95 filter. Required N750036 filter cover
- 1 pair

Honeywell North 75SCL Defender™ Multi-Purpose Gas & Vapor Respirator Cartridges

- Defender Multi-Purpose Cartridge for Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine and Formaldehvde
- 1 pair

Honeywell North 7506N95 N95 Particulate Filter

- N95 Non-Oil Particulate Filter (95% minimum filter efficiency) for non-oil based aerosol particulates
- 1 pair

PAGE 2







Sizes: Small, Medium, Large

Moldex 7000 Series **Respirator Facepiece**

Sleek design for modern, high-tech

· Lightweight design plus extra-wide

sealing area provides all-day comfort

100% PVC-Free[®]

MOLDEX

MOLDEX

Moldex 7100 Organic Vapor Cartridge

- 100% PVC-Free[®]
- . Can be used with both 7000 and 9000 series respirators. 2/pk

Moldex 7940 P100 Particulate Filter Disk

100% PVC-Free[®]

- P100 Particulate filter disks allow for wider field of vision because of low profile design
- 2/pk

3M

3M[™] Full Facepiece Reusable Respirator 6000 Series

- · Large lens provides a wide field of view
- Lightweight well-balanced design and silicone faceseal for enhanced comfort, durability and ease of cleaning
- · Center adapter directs exhaled breath downward 3M Cool Flow™ Valve makes breathing easier to
- provide cool, dry comfort • Sizes: Small, Medium, Large



3M™ 60921 Organic Vapor Cartridge/Filter P100

- Swept-back design allows an enhanced
- field of view and comfort • 2/pk







MSA[™] Advantage[®] 200 LS Half-Mask Respirator

- Thermoplastic rubber increases softness and decreases weight
- Multiflex system equalizes facial pressure
- · AnthroCurve conforms to each user's face
- Sizes: Small, Medium, Large

MSA

MSA[™] Advantage[®] 420 Half-Mask Respirator

- Respirator boasts several features to increase comfort & provide customized fit
- · Four-point yoke and harness design
- · Easily switches between lock-down and drop-down mode
- · Sizes: Small, Medium, Large









3M[™] 8577 P95 Particulate Respirator with **Nuisance Level Organic Vapor Relief**

- NIOSH approved for at least 95 percent filtration efficiency against certain oil and non-oil based particles
- Carbon layer reduces exposure to nuisance levels of organic vapors
- 10/bx



3M[™] 8247 R95 Particulate Respirator with Nuisance Level Organic Vapor Relief NIOSH Approved R95

- · Carbon layer helps reduce nuisance levels of organic vapors
- Advanced Electrostatic Media
- 20/bx



3M

3M[™] 8515 N95 Particulate Respirator - Welding

- 3M[™] Cool Flow[™] Exhalation Valve reduces heat build-up inside the respirator
- Flame resistant per modified ASTM D2859 (not a substitute for a faceshield)
- 10/bx





Honeywell North ONE-Fit[™] N95 Particulate Respirator

- · Designed to resist collapsing after during hours of use
- Molded nose bridge
- · Contours with the natural shape of the face, minimizing pressure points
- Dual welded head straps
- 20/bx





Honeywell North ONE-Fit™ N95 Particulate Respirator with Exhalation Valve

- · Exhalation valve
- Molded nose bridge
- Strong and rigid outer shell • Dual welded head straps
- 20/bx



8611 N95 Valved

NIOSH approved

• 10/bx

Particulate Respirator

• 95% filter efficiency level effective

against particulate aerosols free of

oil; time use restrictions may apply

Adjustable metal nose bridge



Moldex 4200N95 Series AirWave® **Disposable Respirator**

- Exclusive easy-breathing wave design
- Softspun[®] lining for increased comfort and durability.
- · Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.
- 10/bx



MSA[™] ALTAIR[®] 4X Multigas Detector

- · Dependable multigas detector tests for LEL, oxygen, carbon monoxide, hydrogen sulfide,
- sulfur dioxide and nitrogen dioxide Four-year sensor life means detector lasts 60%
- longer than the industry average Unit uses 50% less calibration gas per minute
- than the average detectors within the industry • Ribbed rubber housing provides secure grip and
- high durability 1/ea

QIIPIND

Dupont TY120SWH Tyvek® Coveralls

- Serged Seams, Collar, Front Zipper Closure with Storm Flap, and Elastic Waist · Composed of flash spun high density
- polyethylene provides an ideal balance of protection, durability and comfort of any limited use fabric technology.
- · Inherent barrier against particles Size M-5XL



MSA

MSA V-Gard® Standard Caps & Hats

- Durable high-density polyethylene shell
- designed with accessory slots
- Fas-Trac[®] ratchet suspension
- Includes Cushionaire[™] sweatband and adjustable crown straps
- Meet ANSI/ISEA Z89.1-2009, Type 1, Class E
- · Many colors available
- 1/ea



Kimberly-Cl

Jackson Safety* 14975 Fixed Shade W10 HSL 100 Welding Helmet

- · Features a narrow shell design that's perfect for work in tight spaces
- Extended front, which increases throat protection
- Durable shield is hard hat adaptable
- Large field of view for a clear view of the weld puddle
- . For use in mig welding, arc welding and tig welding
- Meets ANSI Z87.1 2010 standards and is CSA compliant
- 1/ea



MCR 103 Ratchet Take Up Headgear

- Brackets accepts most manufacturers' face shields
- · Brackets accepts most universally punched faceshields
- 1/ea

MCR



MCR 181560 Faceshield

- Clear Polycarbonate Faceshield
- 8"x15.5" • 1/ea

Bullard

Bullard AboveView[™]

- · Featuring a see-through visor that allows workers to see hazards overhead
- Increases your upper peripheral view by more than 50%
- Flex-Gear® ratchet suspension
- Replacement visors are available in clear, grey and vellow tints
- Meets ANSI/ISEA Classification: Z89.1, Type I, Class E and G
- · Many colors available
- 1/Ea

Weldas 20-3200 SWEATSOpad®





- Hard Hat Welding Sweatbands Reduces irritation from hard hats or other headgear · Outer lining is made of all fleece cotton and is
- comfortable to wear in the summer or winter months · Flame retardant for the safety of the welder
- Universal size that fits nearly any brands of hard hats or other headgear
- 1/ea

Neldas



MCR

MCR LCT Lens **Cleaning Towelette**

• 100 Towelettes Wrapped in Individual Packets per Box

Jackson Safety* 25672 V50 Calico

Polycarbonate Anti Fog Safety Eyewear

- · Lightweight "wraparound" design for added protection
- Impact resistant polycarbonate lens
- EN166 N anti-fog coating
- 1/ea

Kimberly-Clark



Jackson Safety* Nemesis* Safety Glasses

- Sporty, flexible, lightweight design
- Polycarbonate lenses provide 99.9% UVA/ UVB/UVC
- Meets ANSI Z87.1+ standards
- 1/ea
- 25676
 - Black Frame, Clear, Hardcoated
- 25679 Black Frame, Clear, Anti-fog

3M

- Unique temple design controls and holds the cord of the earplug to keep it securely in place and untangled while in use
- Wraparound design provides extended eye
- · Polycarbonate lenses absorb 99.9% UVA and





MCR Bearkat®

- Single lens design with integral side shields for unobstructed view
- Non-Slip soft temple material
- Exclusive Duramass[®] scratch resistant coating
- Rugged polycarbonate lens filters 99.9% of
- harmful U.V. rays
- ANSI Z87+ and CSA Z94.3
- 1/ea
- BK110 Clear Lens BK110AF Clear Anti-Fog Lens

PAGE 4

www.crescentsafetyservices.com | 337-524-1811

- 3M™ Virtua™ 11872-00000-20 **CCS Protective Eyewear**

 - protection and unobstructed viewing
 - UVB
 - 1/ea





Showa ATLAS 300

- · Palm-dipped natural
- rubber coating Cotton polyester liner
- · Rough textured grip
- · Elastic knit wrist cuff
- 12/pk
- Size S-XL

Øironclad

durability

Ironclad GUG General Utility™

Synthetic Leather Reinforcements

in critical areas for maximum

· Hybrid Cuff System and

Patented Palm Design

for excellent dexterity

• Terry Cloth Sweat Wipe

the back of the thumb

conveniently located on

TPR Cuff Puller

and durability

• 1/pr

Size S-2XL



WELLS LAMONT Industria

Wells Lamont 962 Grain Deerskin

- Soft. supple flexible gold grain deerskin
- Keystone thumb



JACKSON SAFETY* G60 Purple

- **Nitrile Cut Resistance Gloves**
- Enhanced dexterity, grip and comfort
- For industrial employees who need protection against hand cuts
- Made of Dyneema fabric, an extremely strong fiber
- · Provide a high level of cut resistance ANSI Level 3
- 24/cs
- Size M-2XL

/CR

MCR 9673 Memphis™ Gloves

- Seamless 13 gauge gray nylon shell
- Black nitrile foam dipped palm and fingers · Great dexterity, flexibility,
- and movement · Breathable and cool and
- offers comfort and grip. • 12/pk
- Size M-XL





SAS Raven[™] Nitrile Glove, 6mil



() TRADEX

• 100/Bx

Kimberly-Clark KleenGuard® G10 Blue Nitrile Gloves

- · Latex-free & non-hypoallergenic
- Non-Sterile
- Ambridextrous
- Powder-free
- 100/bx
- Sizes XS-XL



() TRADEX

3 Mil Blue Nitrile Powder Free Glove

- · Lightweight for improved dexterity and reduced hand fatigue
- Meets or exceeds ASTM and FDA examination glove standards
- Passes ASTM F1671 test standards for resistance to penetration of blood borne pathogens
- · Textured surface for improved grip
- · Complies with 21 CFR parts
- 170-199 for food contact
- 100/Bx



() TRADEX






Ansell HyFlex® 11-541 Light

- **Duty Cut Protection Gloves** • Ultralight weight glove that offers unparalleled dexterity and refined mobility
- ZONZ[™] knitting technology uses selected yarns and varying stitch designs to tailor overall glove fit
- Dirt masking palm for longer wear times
- ANSI Cut Level 4
- 12/pk
- Sizes: L-XL

Powder-free



Black

• 100/bx Sizes: S-2XL







Coleman 🕏

Coleman 3000004064

- **5 Gallon OSHA Beverage Cooler**
- Antimicrobial liner resists odor, mold, mildew and fungus on the product
- Attached cup dispenser
- · Tethered, screw-top lid stays secure when closed and conveniently close when open
- 1/ea





ିoleman ଞ

Coleman 300000733

WCCL2L - Safety Vest, Class 2

• 4.5" orange/silver reflective stripes

• ANSI/ISEA 107-2015 Class 2,

· Fluorescent lime polyester mesh material

- **5 Gallon Cooler**
- Drip resistant, removable, dishwasher safe spout
- · Screw top lid
- Interior dimensions: 9.87 in . x 16.62 in.
- ThermOZONE[™] Insulation contains no CFCs, HFCs or HCFCs, which deplete the ozone
- 1/ea

MCR

• Zipper front

Size S-4XL

2 inner pockets

Type R compliant



ZERO Qwik Stik®

- Single-serving · Replenishes fluids and electrolytes lost during physical work
- · Contains no sugar or calories
- 50/bg

10 oz yield packet

060203-LA Lemonade 060205-LL Lemon-Lime 060200-0R Orange 060201-MB Mixed Berry 060202-FP Fruit Punch 060204-GR Grape



20 oz yield packet

060099-SL 060100-OR 060101-MB	Strawberry Lemon Orange Mixed Porny	
060101-IVIB 060102-FP	Mixed Berry Fruit Punch	
060103-LA	Lemonde	
060104-PT	Peach Tea	
060105-RB	Rasberry	
060106-LL	Lemon-Lime	
060107-GR	Grape	
060109-CC	Cool Citrus	
060119-AS	Assorted Flavor*	
* Assorted Flavor is packaged in Qwik Stik tubes that are 10 sticks per tube and 20 tubes per case		



QwikServ®

- · Electrolyte replacement drink is low in sodium, non-carbonated and contains no caffeine
- · Simply pour powder mix from the convenient pack into 16.9 oz. bottled water and shake

16 oz yield packet 060

060900-OR	Orange
060901-FP	Fruit Punch
060902-LL	Lemon-Lime
060904-GR	Grape





FRMBCL2L - Flame Resistant (FR) Safety Vest

- FR Solid Modacrylic/Aramid blend fabric, fluorescent lime
- ANSI/ISEA 107-2015 Class 2, Type R compliant
- 2" Silver FR Reflective Stripes
- 5 Point Break Away feature, Hook and Loop closures
- Conforms to NFPA 70E, HRC1, arc rating 5.4 cal/cm2, meets ASTM F1506
- Size M-4XL



MAJESTIC

- 75-3201 High Visibility Mesh Vest, Class 2
- · High visibility yellow polyester mesh vest
- · Includes one inside chest pocket and
- two inside waist pockets • Zipper front closure
- 2" reflective striping
- Meets ANSI/ISEA 107-2015 Class 2, Type R Standard
- Size M-3XL



MAJESTIC

- 75-3226 High Visibility Vest, Class 2
- High Visibility Orange Mesh Two-Tone Vest
- DOT Striping with 3M® Reflective
- D-Ring Pass Through
- Two Waist Pockets with Velcro Closures
- Two Radio Tabs
 - Meets ANSI/ISEA 107-2015 Class 2, Type R Standard
- Size M-3XL



3M[™] PROTECTA[®] PRO[™] 1191210 **Construction Style Positioning Harness**

- Back D-ring
- Body belt/hip pad with side D-rings
- Tool and equipment rings
- Tongue buckle leg straps
- · Parachute torso adjusters
- Durable polyester web construction
- Built-in lanyard keepers
- Sizes: Large-XL More sizes Available





125 Value Contoured Hard Cap

- Heavy Duty Protection
- · EVA foam padding provides support and protection
- PE plastic hard cap
- Durable polyester and tricot fabrics · Hook & Loop closure
- 1/pr





122 Premium Flat Cap Gel Pads -**Clear Soft PVC Cap**

- · Gel-injected EVA foam padding to absorb impact and provide superior comfort
- · Flat kneeling surface
- Polyester, Jersey and Neoprene fabrics
- . Hook & loop neoprene split strap closure to avoid bunching and slipping
- 1/pr

★★★STAR WIPERS

Post Consumer Rags

- · Recycled clothes and linens are great rags for jobsites.
- Available in 10lb and 25lb boxes



126 Classic Wide Knee Cap

- · Ideal for spreading grout, finishing concrete, and most other surfaces
- · EVA foam padding for comfort and cushioning
- Wide flexible PVC cap provides broad area of protection, durability, and ergonomic fit
- 1/pr



MSA

MSA 10072479 Workman® Harness

- Integral lumbar support pad for work positioning and comfort.
- Back D-ring
- Qwik-Fit leg straps
- Qwik-Fit chest strap
- Standard size
- Web retainer collars to keep excess webbing neat



MSA

MSA 10072487 Workman® Harness

- Integral lumbar support pad for work positioning and comfort.
- Back D-ring
- Tongue Buckle leg straps
- Qwik-Fit chest strap
- Standard size
- . Web retainer collars to keep excess webbing neat



SCRUBS

91930 SCRUBS[®] Stainless **Steel Cleaner Towel**

- · Clean, polish, brighten and protect all in one step
- Prevents water marks and corrosion and preserves the high luster of stainless steel
- 1/ea



SCRUBS

90985 SCRUBS® Hand Sanitizer

• Kills 99.9% of Germs

• 1/ea

· Dissolves Bio-film

infection and disease

- Prevents cross-contamination · Helps reduce the risk of
- · Advanced cleaning power

42272 SCRUBS® IN-A-BUCKET

· Advanced cleaning formula with

a strong, dual-textured towel

- For use on hands and surfaces
- No sticky residue

· Clean, citrus fragrance

• 1/ea

SCRUBS









MCR

2003 - Classic, .35mm PVC/Polyester 3 pc suit

- · 3 piece suit includes jacket with detachable hood and bib pants
- Take up snaps on the wrists and ankles
- Snap front jacket
- Bib pant with fly front
- Size S-7XL



3M[™] Performance Yellow Masking Tape 301+ and Performance Green Masking Tape 401+

- Proprietary, solvent-free adhesive formula removes cleanly in one piece with no adhesive residue
- · Resists paint bleed-through to help create good paint lines
- Sticks with confidence on rubber moldings, plastic, glass, wood, concrete, metal and painted surfaces
- · Many sizes available



BYR100 - Yellow Rubber Slush Boots

- · Adjustable strap on top
- . Wear over the shoe by ordering 2 to 3 sizes above shoe size

STEARNS

performance

Material

- · Lined for comfort and ease of putting on/off
- · Cleated ripple sole for grip
- Size 12-15



3M 3M[™] Super 77

Multipurpose Adhesive

- Aggressive tack provides high initial grab, with enough time to position materials properly
- Transparent spray formula
- · Industrial sized can provides high coverage





3M[™] Duct Tapes

- · Designed for general use in MRO/construction applications
- · Sticks immediately and stays on for up to one year without deterioration
- 1/rl


Description	Thickness	Size
Value 1900	5.8mm	48mm x 54.8m
Multi-Purpose 3900	7.6mm	48mm x 54.8m
Extra Heavy Duty 3939	8.6mm	48mm x 54.8m
Extra Heavy Duty 6969	10mm	48mm x 54.8m



Scotch[®] 06132 Super 33+[™] Vinyl **Electrical Tape**

- The combination of the pressure-sensitive, rubber-resin adhesive and the PVC backing offers electrical and mechanical protection
- Tensile strength rating of 15 lbs. per inch meets professional electrical standards
- ¾ in. x 66 ft
- 1/rl

STEARNS





ALLEGRO

Allegro 9403-66 Work Tent

- Setup/ breakdown in seconds (6'd x 6'w x 7'h)
- Large door and two large windows
- Hi-Viz green color
- 360° reflective striping for safety
- . Four external straps for securing
- 1/ea

ZOLL

ZOLL 8000-004000-01 AED Plus

- Semi automatic
- Durable and Dependable (one of the toughest AED devices available, backed by a seven year warranty).
 - · Easy for non-professionals to use with clear audio/visual support.
 - Low Maintenance Cost
 - 1/ea

2000011357 Work Zone Gear™ Life Vest • US Coast Guard-approved Type III

- Durable construction—lightweight Crosstech® flotation foam and polyester outer shell
- . Two body straps and zippered front for a customized fit
- · Large arm holes and low necklines for easy movement
- · D-ring for attaching gear
- 1/ea Size Large

5135 Portable Low-Profile **Eyewash Station**

- One-hand operation
- · Gravity fed, no plumbing required
- . Holds 15 gallons of water
- 15-minute flushing period
- · Mounting bracket, inspection tag and preservative included
- Meets Ansi Z358.1-1998
- 1/ea





