

RESCENT MANUFACTURING FETY SERVICES, LLC SAFETY PRODUCTS



Honeywell UVEX

11250800 V-Maxx Safety Goggles

- · Sleek wrap-around styling for a 180 degree, clear field of vision
- · Direct ventilation for impact or splash applications
- · Adjustable elastic or neoprene headband
- · Pivoting headband clips to hard hats or hearing protection
- · Can be worn over most prescription eyewear
- 1/ea



Bollé Rush+

- Scratch and fog resistant Platinum® coating
- · Adjustable non-slip bridge
- · Co-injected, ultra-pliable and bi-color temples
- Superior optics
- 1/ea

40208 Grev/Black Frame, Smoke Lens 40209 Grey/Black Frame, CSP Lens



9693 Memphis UltraTech® Nitrile KV

• DuPont™ Kevlar® brand fiber

· Seamless Knit, High comfort level · Allows manual dexterity · Durable and comfortable

· Black textured nitrile palm

Ansell 58-735 AlphaTec®

• 12/pk

INTERCEPT™ Cut Resistant Technology

MCR

- · Optimized fit that integrates the cut liner into nitrile shell for better dexterity & tactility versus double gloving
- Excellent dry & wet grip enhance dexterity and reduce hand fatigue
- 6/pk
- Size 6-11



Heavy Duty Protection

and protection

1/pr

· PE plastic hard cap

· Hook & Loop closure

• Durable polyester and tricot fabrics

3M™ 1110625 DBI-SALA® Delta™ **Vest-Style Positioning Harness**

- · No-tangle design
- · Stand-up back D-ring
- Side D-rings
- Tech-Lite™ quick connect buckle leg straps
- Repel[™] webbing
- Revolver[™] vertical torso adjusters
- Impact Indicator
- Protected labels, equipped with i-Safe™
- · Size: Universal



MAJESTIC

75-3213 High Visibility Mesh Vest with Black Bottom, ANSI 2

- · High visibility yellow polyester mesh vest with black bottom for areas that get most soiled
- · Left chest mic tab
- · Left chest pocket & inside waist pocket
- Zipper front closure
- 2" reflective striping
- Meets ANSI/ISEA 107-2015 Class 2, Type R Standard
- Size L-XL (More sizes available)



Sqwincher Sqweeze Pops

- Sqwincher Sqweeze[™] Pops quickly cools body temperature
- Frozen electrolyte replenishment
- Assorted Flavors
- 150/cs





75713 Stinger® LED Rechargeable Flashlight

- IPX4 Rated for water resistant operation
- 1 meter impact resistance tested
- Snap-in charger holder that mounts in any position
- · Four operating modes:
 - High: 400 lumens; 310m beam distance; 24,000 candela; runs 2 hours
 - Medium: 200 lumens; 219m beam distance; 12,000 candela; runs 3.75 hours
 - Low provides a less intense beam and extended run time: 100 lumens; 155m beam distance; 6,000 candela; runs 7.25 hours
 - Strobe for disorienting or signaling: runs 5.5 hours





61422 Enduro® Pro Headlamp

- Sleek, Multi-Function LED Headlamp with 200 Lumens
- Three modes: spot for distance, flood for area illumination, red or green light for night vision
- IPX4 water-resistant
- · Battery Type: AAA Lithium, AAA Alkaline
- Battery Quantity: 3



4720 Red Ram™ Welder Gloves

- Premium Quality Side Leather
- Sewn with DuPont™ Kevlar® thread
- 13" 1 peice back
- · Fully lined and welted and has a limited flammability cuff
- 12/pk
- Size XL





MPT-58 Material4X M-Pact

- Thermoplastic Rubber (TPR) impact protection meets EN 13594 impact standard
- Breathable TrekDry® keeps hands cool and comfortable
- Touchscreen capable synthetic leather provides the perfect blend of dexterity and durability
- Armortex® palm reinforcement provides added durability
- Size M-XL (More sizes available)





CP14 Butyl Rubber Gloves

- Excellent Chemical Resistance
- 14 inch Gauntlet
- 14 mil smooth finish
- · Component materials comply with all relevant federal regulations for food contact
- · Anti-static
- 12/pk
- Size S-XL



Dironclad

LPI-CC5 Low Profile Impact Closed Cuff Cut 5

- IVE™ patent pending optical technology that extends the field of visual recognition
- · Proven impact protection on fingers, thumb, knuckles and metacarpal bones for maximum coverage
- Cut resistant palm inner liner; level 5 out of 5 on EN388
- · Hook and loop closure for easy entry and exit
- · Reflective fabric nighttime visibility
- Size M-XL (More sizes available)



Ansell

Ansell HyFlex® 11-644

- · Enhanced cut protection, wear life, and comfort with a high level of dexterity
- · High dexterity with longer wear due to low palm weight and excellent abrasion resistance
- · ANSI Level 2 cut
- Precision when working with small, sharp parts
- 12/pk
- Size S-2XL



Dironclad

LPI-OC5 Low Profile Impact Open Cuff Cut 5

- IVE™ patent pending optical technology that extends the field of visual recognition
- · Proven impact protection on fingers, thumb, knuckles and metacarpal bones for maximum coverage
- Cut resistant palm inner liner; level 5 out of 5 on EN388
- . Open cuff design for easy entry and exit
- · Reflective fabric nighttime visibility
- Size M-XL (More sizes available)



- · Reinforced knit cuff, scalloped edge
- · Standard finish
- · Without special treatment
- · Anatomical shape
- Size S-2XL



- · Engineered full foam aerated latex coating, extra grip coating on palm
- · Breathable coating technology · Anatomical hand shape design
- · Breathable 13 gauge liner
- Size S-2XL



SHOWA 230

- 10 Gauge HPPE, Nylon and Lycra
- High performance seamless knit liner
- · Sponge nitrile palm dip
- . Optimum fit, feel and comfort
- EN 388 Cut level 5
- Size S-XL



- · Fully coated, extra coating over entire hand
- Extended sewn sleeve, elasticated border
- · Rough finish over entire surface
- · Antibacterial and anti-odour treatment
- · Anatomical shape
- Cut and sewn
- Eyelet for ventilation and hanging
- Size M-XL



SS120 - Stratos®

- One piece polycarbonate lens
- · Stylish wrap-around design that offers the user a wide area of protection
- · Spatula temple with extendable adjustment
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays
- Blue Frame, Clear Lens
- 1/ea



Safety Goggles · Splash and dust protection with

- a pliable and compact frame and a foam gasket
- Extreme heat resistance
- Sliding side vents are adjustable to optimize airflow
- IRUV Shade 5 lenses protect against infrared (IR) and ultraviolet radiation (UVA/UVB)
- 1/ea



• Fas-Trac® ratchet suspension

adjustable crown straps

Many colors available

• 1/ea

S2970XP Uvex Hypershock™

- · Lightweight, wrap-around frame offers high impact protection
- 100% dielectric

Honeywell

- · Streamlined padded temple
- · Molded nosepiece for a secure, comfortable fit
- · Clear Ice Frame
- Clear Lens, Uvextreme Plus AF
- 1/ea



S2601XP Uvex Livewire™ Sealed Eyewear

- Foam-lined subframe is precision engineered to offer maximum comfort and a gap-free seal around the eyes to keep debris out
- · Streamlined, wraparound frame design accommodates respirators and other PPE, while the low-profile temples fit comfortably with earmuffs
- · Matte Black Frame
- Espresso Lens, Uvextreme Plus AF

MSA V-Gard® Standard Caps & Hats · Durable high-density polyethylene shell designed with accessory slots Includes Cushionaire[™] sweatband and • Meet ANSI/ISEA Z89.1-2009, Type 1, Class E

Honeywell

UVEX'

S8500 Uvex Bionic Shield

- · Extremely lightweight and balanced for all-day comfort
- · Enhanced protection from airborne debris
- · Excellent optics and increased visibility
- · Comfortable cell foam on back of headgear
- · Clear Polycarbonate, Uncoated Visor
- Black Matte Shell
- 1/ea



3M™ 06-0100-10 Speedglas™ Welding Helmet 9100

- Dark shades 5, 8-13
- · Sensitivity adjustment allows use with all Stick, MIG and TIG processes
- · Grinding and torch cutting modes
- · New headgear makes this helmet extremely comfortable and versatile
- Viewing area 6.05 sq.in.



Honeywell UVEX

S9500 Uvex Turboshield™ Ratchet Headgear

- Flexible head-cushioning suspension
- · Simple push-button release system allows for easy visor exchange in seconds
- Control knobs are large and ergonomically designed for easy adjustment
- Dual-hinge design increases clearance by as much as four inches and keeps accessory slots open for compatibility with other PPE
- 1/ea



Honeywell UVEX

S9570 Uvex Face Shield

- · Minimizes outdoor sunlight and glare
- · Gray, PC Visor, Uncoated
- 1/ea



Honeywell

S9510 Uvex Turboshield™ Hard Hat Adapter

- Compatible with multiple hard hat brands
- Intuitive visor attachment system for quick, easy visor replacement
- Positive-locking hinge secures visor in raised and lowered positions
- · Leaves hard hat accessory slots free for additional protective equipment
- 1/ea



Honeywell

A0152/40 North Clear **Polycarbonate Faceshield**

- Flat, 10" x 15.5" x .04"
- High impact-rated polycarbonate
- 1/ea



3M™ E-A-R™ 318-1001 Push-Ins™ Earplugs

- · Soft. flexible foam
- · Flexible stem makes fitting easy
- · Poly bag keeps earplugs clean before use
- NRR 28
- Corded
- 100pr/bx



3M™ E-A-R™ Skull Screws™ Ear

- Tough look of threaded metal
- · Soft foam tips feel comfortable for extended wear
- Cutting-edge look and comfort may increase worker compliance in wearing hearing protection
- NRR 32 dB

P1300 Skull Screws, uncorded 120pr/bx P1301 Skull Screws, corded 120pr/bx



3M™ PELTOR™ MT7H7F4010-NA-50 Lite-Com **Pro II Two Way Radio Communications Headset**

- Factory Mutual (FM) Approvals certified intrinsically safe
- Ghost voice menu prompts for easy mode selections
- Up to 30 programmable channels in the 403-470 MHz band
- Push-to-Talk (PTT) or hands-free Voice-Activated (VOX)
- · Rechargeable lithium-ion battery included



3M™ H10A Peltor™ Optime™ 105 Earmuffs

- Over the head ear muffs
- "Double-shell" earcup design
- · Liquid foam-filled cushions provide good seal and low surface pressure
- NRR 30
- 1/ea



MOLDEX

Moldex 6130 MX-6 Premium **High Attenuation Earmuff**

- Exclusive waffled cup foam for superior NRR protection
- · Soft cushion-ribbed headband for cool comfort all day long
- NRR 30

MOLDEX

Moldex Pura-Fit® Disposable Earplugs

- · Extra-soft, low-pressure foam for comfort and fit
- · Tapered shape for easy insertion and removal
- · Non-irritating smooth surface
- · Longer length for easy fitting and removal
- 100% PVC-Free
- NRR 33

6800 Uncorded 200pr/bx Corded 100pr/bx 6900 PlugStation, Uncorded 6845 500pr PlugStation, Corded 6882 150pr









Dupont TY125SWH Tyvek® Coveralls

- · Serged seams, collar, front zipper closure with storm flap, and elastic waist, wrists and ankles
- · Composed of flash spun high density polyethylene provides an ideal balance of protection, durability and comfort of any limited use fabric technology.
- · Inherent barrier against particles
- · Available bulk packed in sizes M-5XL
- · Available vend packed in sizes L-XL



QU POND

Dupont QC125 Tychem® Coveralls

- Tychem® 2000 is polyethylene-coated Tyvek® fabric
- · Light liquid splash protection
- · Flexible, durable and lightweight
- Used extensively in the petroleum; pulp and paper; food and chemical processing; and pharmaceutical industries
- · Available in Bound Seams in sizes M-4XL
- · Available in Serged Seams in sizes M-4XL



OK-KP-350 Classic Fabric Cap

- · Ideal for delicate surfaces
- Lightweight and comfortable
- High Density Foam Body
- . Hook & Loop closure
- 1/pr





126 Classic Wide Knee Cap

- Ideal for spreading grout, finishing concrete, and most other surfaces
- EVA foam padding for comfort and cushioning
- Wide flexible PVC cap provides broad area of protection, durability, and ergonomic fit
- 1/p





121 & 122 Premium Flat Cap Gel Pads - Soft PVC Cap

- Gel-injected EVA foam padding to absorb impact and provide superior comfort
- · Flat kneeling surface
- Polyester, Jersey and Neoprene fabrics
- Hook & loop neoprene split strap closure to avoid bunching and slipping
- Available in clear and black cap
- 1/pr





WCCL2LFR - Safety Vest

- ANSI/ISEA 107-2015 Class 2, Type R compliant
- Dielectric / Non-conductive Zipper front closure
- 4.5" orange/silver reflective stripes for ample contrast
- 2 inner pockets
- Limited Flammability, NOT intended for use as protection against ARC Flash or Flash Fire
- Size M-4XL





2603 - Hydroblast 3 pc suit

- .35mm PVC/Polyester suit, jacket with attached hood
- Hook & loop front, neck, and wrist closures for secure fit
- 13" x 15" Shroud attaches to chest and face shield for maximum protection
- Pants feature 360 degree high bib, hook & loop ankles
- Size L-2XL





388JH Dominator Jacket

- Jacket with attached drawstring hood, take up snaps at wrists
- .42mm PVC/Hi-tensil polyester/PVC
- Zipper front with double storm flap, no pockets or vents
- Inner sleeves to prevent splash back
- Limited Flammability, NOT intended for use as protection against ARC Flash or Flash Fire
- Size M-5XL





Tillman 6230 Flame-Retardant Cotton Jacket

- 9 oz., green flame retardant cotton jacket
- 30" length
- Made from flame retardant, 100% cotton Westex® FR7A®
- Cool, comfortable, washable. Offers protection from sudden flame exposure, light welding and sparks.
- Maintains flame resistance for up to 50 home washings at 145°F or 25 commercial washings up to 165°F
- · Snap fasteners
- Available in sizes S-4XL





388R5 Dominator Apron

- Thick PVC material, aqua green
- .42mm in thickness
- Great for splash protection, abrasion and puncture
- Durable plastic reinforced grommets, tie strings included





9378KCT 18" Economy Sleeve

- 18 inch economy sleeve made of DuPont™ Kevlar® fiber
- Kevlar® exterior / Cotton Interior
- Cut resistant
- Thumb Slot
- ANSI Cut A3, Abrasion 2
- 12/pK



3M™ 8210 N95 Particulate Respirator

- Two-strap design with welded dual point attachment helps provide a secure seal
- · Cushioning nose foam
- Lightweight construction promotes greater worker acceptance and may help increase wear time
- 20/bx



3M™ 8511 N95 Particulate Respirator

- 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator
- M-Noseclip adjusts easily for fewer pressure points and greater comfort.
- Braided headbands two-strap design with dual point attachment helps provide a secure seal
- 20/bx



3M[™] 9105 N95 VFlex[™] Particulate Respirator

- 3M proprietary filter media and V-shaped pleats helps make breathing easier
- Uniquely designed tabs for respirator positioning on the face
- · Pleats flex with mouth movement while talking
- Flatfold design allows for convenient storage prior to use
- 50/bx

3M

3M[™] FF-400 Ultimate FX Full Facepiece Reusable Respirator

- Scotchgard protection paint and stain resistant lens cause some liquids to bead up so they can be wiped off easily
- Silicone full facepiece design offers comfort, durability and ease of cleaning
- 3M Cool Flow Valve makes breathing easier to provide cool, dry comfort
- Passive speaking diaphragm enhances communications
- · Sizes: Small, Medium, Large



MOLDEX

Moldex 4300P95 AirWave Series With SmartStrap® Disposable Respirator

- Exclusive easy-breathing wave design
- Full foam face seal
- Longer use means less waste, fewer respirators used and lower costs
- FlexFit® design moves easily with your face and stays in place
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2009 Section 7.11.1
- 8/bx



31

3M[™] 2097 Particulate Filter P100, with Nuisance Level Organic Vapor Relief

- Nuisance odor relief for organic vapor levels below the Permissible Exposure Level (PEL)
- 2/Pk



31

3M™ 6001 Organic Vapor Filter

- Swept-back design for enhanced field of view and balance
- 2/bx



MSA™ Advantage® 200 LS Half-Mask Respirator

- Thermoplastic rubber increases softness and decreases weight
- Multiflex system equalizes facial pressure
- AnthroCurve conforms to each user's face
- · Sizes: Small, Medium, Large



MSA™ Advantage® 420 Half-Mask Respirator

- Respirator boasts several features to increase comfort & provide customized fit
- Four-point yoke and harness design
- Easily switches between lock-down and drop-down mode
- · Sizes: Small, Medium, Large



MSA[™] Advantage[®] 4200 Full-Facepiece Respirator

- Facepiece is compatible with several MSA respirator models for comfortable, costefficient performance
- Option of three standard sizes ensures user will find a solid fitStandard nosecup reduces fogging
- Components lock into place in seconds for quick, convenient performance
- · Sizes: Small, Medium, Large



Moldex 7602 Multi-Gas/Vapor Assembled Reusable Half Mask Respirator & Smart® Cartridges

- Pre-assembled Respirator Kit: includes 7000 Series facepiece and 7600 Multi-Gas/Vapor Smart cartridges
- Approved for nine common gas/vapors
- Ideal for use against multiple hazards in the same workplace
- · Size: Small-Large




3M™ VHB™ Acrylic Foam Tape

- Durability for long-term performance indoors and out
- · Productivity through application ease and versatility
- Instant bonding

3M

- · Smooth, invisible appearance
- · Viscoelastic properties absorb shock and distribute stress evenly over the bond line
- · Bond dissimilar materials with confidence

Description	Length	UOM
VHB Tape Gray 4991	½ in. x 36 yd.	18/cs
VHB Tape Gray 4991	1 in. x 36 yd.	9/cs
VHB Tape Gray 4941F	1 in. x 36 yd.	9/cs
VHB Tape Gray 4941	2 in. x 36 yd.	6/cs



3M™ Duct Tapes

- Designed for general use in MRO/construction applications
- · Removes cleanly for up to three months when applied indoors
- Sticks immediately and stays on for up to one year without deterioration
- · Strong water-resistant backing resists wear and light abrasion
- · Provides a tight, moisture-resistant seal in many containment situations
- · Conforms to irregular surfaces without lifting

Description	Thickness	Length	UOM
Value 1900	5.8mm	48mm x 54.8m	1/rl
Contractor Grade 2979	7.4mm	48mm x 54.8m	1/rl
Multi-Purpose 3900	7.6mm	48mm x 54.8m	1/rl
Extra Heavy Duty 6969	10mm	48mm x 54.8m	1/rl



Moldex 7000 Series Respirator Facepiece

- 100% PVC-Free®
- Sleek design for modern, high-tech look and increased worker acceptance
- Light weight design plus extra-wide sealing area provides all-day comfort
- Size: Small-Large



Barricade Tape

- · Yellow, 3-Inch Width
- High Strength
- Non-Toxic, Non-Flammable
- · UV Resistant Ink, Lead Free
- Remains Flexible in Cold Weather
- 1000 Feet Per Roll

T20102 Caution Do Not Enter 2.0 Mil T20103 Caution/Cuidado 2.0 Mil



42272 SCRUBS® IN-A-BUCKET

- · Advanced cleaning formula with a strong, dual-textured towel
- · Clean, citrus fragrance
- · Advanced cleaning power
- For use on hands and surfaces
- · No sticky residue
- 1/ea



26832 Spray Nine® Multi-Purpose Cleaner & Disinfectant

CAUTION/CUIDADO

- Cleans
- Degreases
- · Disinfects against virus and bacteria
- · Sanitizes in 10 seconds
- · Deodorizes and removes stains
- · Controls mold & mildew
- 12/cs



BRITE-MARK® Markers

- · Formula is not xylene-based
- · Make permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more
- · Drying time: 25-35 seconds
- 12/pk
- · Available in fine, medium, and wide tips
- Available in blue, black, white, and yellow





3841-16-ECO PURELL™ Single Use Body Fluid Spill Kit

- · Safely removes vomit, blood, feces & other body fluids
- PURELL® Foodservice Surface Sanitizer is effective against Norovirus, E.Coli, Salmonella and more in just 30 seconds, and is proven effective on most hard and soft surfaces
- OSHA and Food Code compliant
- Includes hairnet, sleeved gown, gloves, shoe covers, eye shield and mask to provide head-to-toe personal protection
- 3-year shelf life





K615-021 75V - Class A - 3 Shelf Metal Cabinet

- . Heavy Duty Cabinets
- · Filled with a large variety of high-quality first aid products
- · Certified to meet Class A ANSI compliance

ZOLL

ZOLL 8000-004000-01 AED Plus Semi-Automatic Defibrillator

Includes:

- One-Piece CPR-D Pads
- Set of Lithium Duracell Batteries
- · Carry Case
- Zoll Data Review Software
- Zoll AED Plus Demonstration & Setup CD
- FREE AED/CPR First Response Kit



ZOLL

ZOLL 8000-004007-01 AED Plus Fully Automatic Defibrillator

Includes:

- Zoll AED Plus w/ AED cover
- PlusRX medical prescription
- CPR-D-padz electrode
- 10 CR123a batteries
- · Carry case





GOJO® HAND MEDIC® Professional Skin Conditioner

- Fragrance-free skin conditioner, specially formulated for industrial environments
- Helps prevent dry, cracked skin by maintaining skin's moisture level
- · Absorbs quickly with no greasy after-feel
- Silicone and fragrance free
- Latex glove compatible
- NSF E4 Registered

8745-D1 Starter Kit 1 Dispenser / 1 Refill 8745-04 700 mL Refill for Dispenser



Purell

PURELL® Foodservice Advanced Hand Sanitizer Foam

- Advanced foam hand sanitizer formulation designed for foodservice environments.
- Kills more than 99.99% of most common germs that may cause foodborne illness including: E.coli, Listeria, Salmonella and Campylobacter
- · Meets Food Code Hand Sanitizers criteria

Honeywell

32-001000-0000 Fendall Pure Flow 1000

- Delivers the required 15 minutes of flushing with a preserved, buffered, saline solution that is superior to tap water for emergency eye care
- A unique fluid pressure balancing system and nozzles maximize comfort with a soft "ribbon" of saline solution
- No plumbing required
- 1/ea



Guardian

G1562 15 Gallon Portable Eyewash/ Drench Hose Unit

- 15 gallon pressurized unit
- Delivers approximately 10 usable gallons of water for 15 minutes
- Tank has built-in carrying handles, Schrader air intake valve, pressure gauge and pressure relief valve
- Each head has a "flip top" dust cover, internal flow control and filter.
- \bullet Complying with the provisions of ANSI Z358.1-2014

