



**JACKSON**  
SAFETY

**Jackson Safety 46131 INSIGHT Variable Auto Darkening Welding Helmet, HaloX**

- Variable shade (9-13)
- Wide viewing area (3.93" x 2.36")
- Sensitivity and delay adjustments
- Four (4) independent auto dimming sensors and easy-to-use digital controls
- Meets ANSI Z87.1+ standards
- Black



**JACKSON**  
SAFETY

**Jackson Safety 14975 HSL 100 Passive Welding Helmet**

- Extended front, which increases throat protection
- Durable shield is hard hat adaptable
- 4.5" x 5.25" viewing area
- Shade 10
- Black



**TILLMAN**  
The Brand Pro Demand

**Tillman 4124 Waist Apron**

- Bourbon brown Side split Cowhide
- 24" x 24" waist apron
- Heavy duty waist strap secures apron comfortably
- Sewn with DuPont™ Kevlar® thread for added strength.

**⚠ WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**TILLMAN**  
The Brand Pro Demand

**Tillman 6230 Flame-Retardant Cotton Jacket**

- 9 oz., green flame retardant cotton jacket
- 30" length
- Made from flame retardant, 100% cotton Westex® FR7A®
- Snap fasteners
- Available in sizes M-3XL



**Honeywell**  
FIBRE METAL

**Honeywell Fibre-Metal 110PWE Pipeliner Fiberglass Welding Helmet with Rubber Headband**

- Specifically designed as a pipe welding helmet
- Compact design allows access to small spaces
- 2" x 4" viewing area
- Shade 10
- White



**Honeywell**  
FIBRE METAL

**Honeywell Fibre-Metal 906 Tigerhood Classic Welding Helmet**

- Unique design provides extended throat protection while blocking fumes and smoke from the face
- Size and shape allows air to circulate
- Mounting lift front
- 2" x 4.25" viewing area
- Shade 10
- Available in other colors



**TILLMAN**  
The Brand Pro Demand

**Tillman 567 Helmet Bib**

- Side split Cowhide leather
- Attaches with hook/loop closure
- Size: 8" H x 8" W

**⚠ WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**TILLMAN**  
The Brand Pro Demand

**Tillman 6217 FR Cotton Sleeves**

- 18" length w/ 2-1/4" wide external elastic at both ends
- Washable, 100% cotton Westex® FR7A®



**Honeywell**  
FIBRE METAL

**Honeywell Fibre-Metal 2999FM913W Tigerhood Futura™ Welding Helmet**

- Lightweight helmet
- Free floating headgear
- XXL wide view format
- Performance and innovation by combining advanced ADC Plus ADF technology
- Silver



**Ergodyne Chill-Its® 6615 High-Performance Dew Rag**

- Hi Cool® moisture management performance fabric
- Comfortable to wear under hats or helmets
- Absorbent terry headband
- 1/ea



**WELDAS**

**Weldas 33-8830 COOL FR™ Navy Blue Jacket**

- Washable 9 oz. Navy Blue Flame Retardant
- Length: 30" - 34" (Premium Fit)
- Dielectric Snaps
- Spatter Guard Behind Snaps with hook and loop closure
- Available in sizes M-5XL



**Honeywell**  
NORTH

**Honeywell North® Primair™ PA810 2.5 ADF PAPP Welding Helmet**

- 2.5 Shade Level
- ADF Light Sensitivity Adjustment
- Sensor Angle "Slide" Adjustment
- Outside Grinding Shield
- Lightweight Breathing Tubes
- Side-Mounted Battery
- Ergonomic Belt
- 1/ea

**WELDAS**

**Weldas 23-8010 Boiler Maker Cap**

- Welding Cap, black and red for traditional wear with athletic mesh for added comfort
- Preshrunk & presoftened lightweight fabric
- One size fits all with elastic back



**JACKSON**  
SAFETY

**Jackson Safety 14753 Contour Curv-O-Mark® Wrap-A-Round®**

- Tools for marking straight lines around pipe
- Made from flexible gasket material
- Fits 3"-10" Pipe
- Size: Large
- 1/ea

# SAFETY PRODUCTS



## Ironclad WSTK Stick Welder Gloves

- Elk Split Leather Palm
- Leather Back of Hand
- Palm Reinforcements
- 10" Safety Cuff
- Heat Resistance
- Weltd Seams with Kevlar® Stitching
- 1/pr
- Sizes: L-XL

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## Dynaflux Clear Safety Plate

- 100% polycarbonate cover lens
- SP-1 2' x 4'
- SP-5 4' x 5'



## Dynaflux CR-39® Monomer Cover Lens

- CR-39 cover lens
- 24CR 2" x 4.25"
- 45CR 4.5" x 5.25"



**TILLMAN**  
The Brand Pross Demand

## Tillman 1414 Cowhide Drivers Gloves

- Top grain cowhide palm and back
- Keystone thumb
- Double stitching
- Unlined
- Sizes: S-2XL

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## Ironclad WMIG MIG Welder Gloves

- Cow Split Leather Palm
- Leather Back of Hand
- Palm Reinforcements
- 6" Safety Cuff
- Heat Resistance
- Weltd Seams with Kevlar® Stitching
- 1/pr
- Sizes: L-XL

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## Jackson Safety 14731 Welding Ground Clamp GC-3

- 1.625 Inch Jaw Opening
- 1/0 and 2/0 Cable Connection Capacity
- Forged Copper Alloy
- 1/ea



**TILLMAN**  
The Brand Pross Demand

## Tillman 24C TIG Welders Gloves

- Premium top-grain kidskin leather enhances feel and dexterity
- Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection
- 1 pair
- Sizes: S-XL

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## Weldas 20-3100V SWEATSOpad® Welding Helmet Sweatband

- Reduces irritation from hard hats or other headgear
- Draws in perspiration and releases sweat vapor
- Flame retardant for the safety of the welder
- 1/ea



## Honeywell North A59 Peak Hard Hat

- Versatile and dependable design
- Grooved HDPE outer shell
- Rain trough accessory slots
- 4-point plastic suspension
- Meets ANSI Z89.1-2009 Type 1 Class E
- Variety of colors available
- 1/ea



## Honeywell Fibre-Metal F400 Headgear

- Made from Noryl®, the same material used in our welding helmets
- More durable and more heat resistant than ordinary faceshields
- 4" crown
- 1/ea



## Weldas 20-3200 SWEATSOpad® Hard Hat Welding Sweatbands

- Reduces irritation from hard hats or other headgear
- Made of all fleece cotton and is comfortable in the summer or winter
- Flame retardant for the safety of the welder
- 1/ea



## Honeywell Fibre-metal E-1 Full Brim Hard Hat

- Exclusive smooth crown design
- Ratchet suspension
- Eight load bearing points to stabilize and balance the hard hat during everyday wear.
- Meets ANSI-Z89.1 TYPE 1, Class E, G, or C
- Variety of colors available
- 1/ea



## Honeywell Fibre-Metal 4178 Wide View Faceshield Windows

- Injection molded from propionate
  - All High Performance windows are .060" thick for an extra protection
  - Fits F400, F500, FH66, FM70 and F71 head gear
  - 1/ea
- |           |            |
|-----------|------------|
| 4178CL    | Clear      |
| 4178DGN   | Dark Green |
| 4178IRUV5 | Shade 5 IR |



## Jackson Safety F30 Acetate Face Shield

- Compatible with the Jackson Safety Hard Hat Interchange System
  - Meets ANSI Z87.1- standards
  - 1/ea
- |       |              |                    |
|-------|--------------|--------------------|
| 29053 | Medium Green | 8" x 15.5" x .040" |
| 29079 | Clear        | 9" x 15.5" x .040" |
| 29090 | Dark Green   | 9" x 15.5" x .040" |
| 29091 | Clear        | 9" x 15.5" x .040" |



## MSA 10176739 V-Gard Metal Frame for MSA Full Brim Helmets

- Coil spring attachment
- Aluminum; for use in high heat applications
- Easy assembly of visor onto frame - held secure by easy clips
- 1/ea



## MSA 10115859 V-Gard Visor for Welding, Cutting and Brazing

- Polycarbonate
- Shade 3 IR
- Molded 8" x 17" x .098"
- 1/ea



# SAFETY PRODUCTS



## Ansell

### Ansell 80-813 ActivArm®

- Arc flash resistance, flame resistance and high cut protection in a comfortable ergonomic design
- Exclusive Dupont™ Kevlar® composite yarn
- Soft foam coating and ergonomic design
- 12/pkg
- Sizes: L-XL



## 3M

### 3M™ 40427-00000-10 Protective Eyewear Infrared Welding Flip-Up Lens, Shade 3

- Designed to fit over most metal protective eyewear frames
- Helps protect against glare, UV, and some infrared radiation
- Recommended for welders, welders helpers, and workers in the vicinity of the welding operation, metal melting or furnace viewing
- 1/ea



## MOLDEX

### Moldex Pura-Fit® Disposable Earplugs

- Highest independently tested NRR
- Extra-soft, low-pressure foam for comfort and fit
- Tapered shape for easy insertion and removal
- NRR 33

6800	Uncorded	200pr/bx
6900	Corded	100pr/bx

### PlugStation Dispensers

6845	Uncorded	500pr/st
6882	Corded	150pr/st



### Gateway 368 Cup Goggles

- Classic, 50mm rigid cup welding goggle
- Ideal for light welding applications in hot environments
- Double walled eyecups with multiple slot vents help minimize fogging
- 3mm thick, scratch-resistant polycarbonate lenses
- Meet ANSI Z87.1+ and CSA Z94.3 standards
- 1/ea



### Kimberly-Clark 18629 Safety Goggles Shield

- Monogoggle\* XTR goggles integrated into a face shield to provide full eye and face protection
- Shield detaches from the goggles for a 2-in-1 solution
- Fits over most prescription eyeglasses
- Clear Anti-Fog Lens with Blue Frame
- 1/ea

## 3M

### 3M™ 6000 Series Full Facepiece Reusable Respirator

- Lightweight well-balanced design and silicone face seal for enhanced comfort, durability and ease of cleaning
- 3M Cool Flow™ Valve makes breathing easier to provide cool, dry comfort
- 1/ea
- Size: M-L



## 3M

### 3M™ 2297 Advanced Particulate Filter with Nuisance Level Organic Vapor Relief P100

- NIOSH approved for environments containing certain oil and non-oil based particles
- 2/pkg



### Honeywell Howard Leight Verishield 100 Series Earmuffs

- Comfortably fits a wide range of head size
- Wide cup opening
- Memory foam ear cushions
- Air Flow Control Technology
- 1/ea

1035118-VS	Hard Hat	NRR 21
1035116-VS	Neckband	NRR 28
1035114-VS	Neckband	NRR 25



## 3M

### 3M™ 8515 N95 Particulate Respirator - Welding

- 3M™ Cool Flow™ Exhalation Valve reduces heat build-up inside the respirator
- Flame resistant per modified ASTM D2859
- 10/bx



## 3M

### 3M 8212 N95 Particulate Welding Respirator with Face Seal

- NIOSH approved for at least 95 percent filtration efficiency against certain non-oil based particles
- Recommended for welding and operations in which metal fumes may be present
- 10/bx



## 3M

### 3M™ PELTOR™ H10A Optime™ 105 Series Earmuffs

- Effective hearing protection for noise exposures up to 105dBA
- Double-shell technology boosts its noise blocking
- NRR 30, highest available in over-the-head style earmuffs
- 1/ea



### Moldex 2310 N99 Premium Particulate Respirator With Exhale Valve

- Dura-Mesh® shell resists collapsing in heat and humidity
- Can be used against most welding fumes
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2009 Section 7.11.1
- 10 per box



### Honeywell Howard Leight™ Laser Lite® Earplugs

- Polyurethane foam
- Contoured T-shape for easy insertion and wear
- NRR 32

LL-30	Corded	100/bx
-------	--------	--------



### Howard Leight™ MAX® Earplugs

- Contoured design easier to insert, resists tendency to back-out of ear canal
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- NRR 33

MAX-30	Corded	100pr/bx
MAX-1	Uncorded	100pr/bx



# SAFETY PRODUCTS



## K616-017 18PN - Class A Burn Poly Navy Case

Water-Jel Burn Dressings provide fast, one-step relief for emergency first aid when someone has been burned.



## Honeywell MILLER

### Honeywell Miller RKNARFD-QC/UBK Revolution Harness with Kevlar-Nomex Webbing

- Kevlar®/Nomex® Miller DualTech™ webbing
- Leather insulators under all metal hardware
- Web Back D-ring
- Quick-Connect Leg Straps
- Quick-Connect Chest Buckle
- PivotLink™ design
- Size: Universal



## 3M SALA PROTECTA

### 3M™ PROTECTA® 1191385 PRO™ Vest-Style Positioning Harness for Hot Work Use

- Back D-ring
- Side D-rings
- Tongue buckle leg straps
- Parachute torso adjusters
- Heat resistant and flame retardant webbing
- Built-in lanyard keepers
- Impact Indicator
- Sizes: M/L



## 060119-AS ZERO Qwik Stik®

- Qwik Stik ZERO is a one-man hydration solution without sugar and with minimal calories. Simply rip open a pack, pour into a bottle of water and let the hydration hit the spot.
- Assorted flavor
- 20 fl oz yield
- 200/cs



## QwikServ®

- Squincher QwikServ pouches are perfect for people who want to keep it simple. Just pour the portable powder into a ½ liter bottle of water whenever you need great tasting, portable hydration.
- Assorted flavor
- 16 oz yield
- 96/cs



## 42272 SCRUBS® IN-A-BUCKET

- Advanced cleaning formula with a strong, dual-textured towel
- Clean, citrus fragrance
- Advanced cleaning power
- For use on hands and surfaces
- No sticky residue
- 1/ea



## GOJO® HAND MEDIC® Professional Skin Conditioner

Fragrance-free skin conditioner, specially formulated for industrial environments.

- Helps prevent dry, cracked skin by maintaining skin's moisture level
- Absorbs quickly with no greasy after-feel
- Silicone and fragrance free
- Dermatologist tested
- Latex glove compatible
- NSF E4 Registered
- Many sizes and dispensing options available



## 26832 Spray Nine® Multi-Purpose Cleaner & Disinfectant

- Cleans
- Degreases
- Disinfects against virus and bacteria
- Sanitizes in 10 seconds
- Deodorizes and removes stains
- Controls mold & mildew
- 12/cs



## 9652-12 PURELL® Advanced Hand Sanitizer Gel

- Refreshing gel
- Kills more than 99.99% of most common germs that may cause illness
- 8 fl oz Pump Bottle
- 12/cs



## 3M™ DBI-SALA® 3101540 Nano-Lok™ Arc Flash Twin-Leg Quick Connect Self Retracting Lifeline

- Arc flash rated
- Twin-leg 100% tie-off design
- Built-in connector for twin-leg SRL direct attachment to harness
- 8 ft. (2.4m) twin-leg lifelines with 3/4" (19mm) Kevlar® fiber webbing



## BRITE-MARK® RoughNeck Tough Tip Marker

- Plastic tip resists fraying & disintegrating when used on rough surfaces
- Tip repels oil and grease and can be wiped clean
- Industrial-grade paint is UV resistant and withstands harsh outdoor conditions
- Drying time: 25-35 seconds
- 12/pk

84202 Med Tip Black  
84204 Med Tip Yellow

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## BRITE-MARK® Markers

- Formula is not xylene-based
- Make permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more
- Drying time: 25-35 seconds
- 12/pk

Medium Tip		Fine Tip	
84001	Blue	41003	Black
84002	Black	41006	Yellow
84003	White	41008	White
84004	Yellow		
84006	Red		



**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov