



### Rentable Equipment:

- 16' Cooling Trailer – 36" Fan with 300-gallon Tank
- Confined Space Portable Ventilation Fan
- Confined Space Tripod for Rescue
- Emergency Breathing Air System
- Fall Protection Gear
- Fire Extinguishers (5, 10, 20, 50 lbs.)
- Four (4) Channel Gas Detector (H2S, O2, CO, LEL)
- Gas Detection Equipment – Portable 4 or 5 gas sniffer
- NORM Meter with Oscillating Probe
- Self-Contained Breathing Apparatus (SCBA) – 30 minutes
- Single (1) Channel Gas Detector (H2S), (O2), (CO), (VOC)
- Onsite Delivery/Pickup
- Eyewash/Shower Station

### Emergency Breathing Air Systems:

- One (1ea) 6' X 16' H2S Trailer complete w/ 6-cylinder 444cu ft., 4500psi Cascade and
- Distribution Panel
- Two (2ea) 12-Man Manifold on stand
- Twelve (12ea) MSA 30-Minute Air Hawk II SCBA
- Fourteen (14ea) MSA 10-Minute Cadet Work Unit
- One (1ea) O2 Resuscitator w/spare cylinder
- Two (2ea) Windssocks complete w/ pole and clamps
- One (1ea) Flare gun
- One (1ea) Stokes Litter w/ bridle
- One (1ea) Safety Harness w/ 100' safety line
- One (1ea) Trauma Medical Kit
- Onsite Delivery/Pickup

Breathing Air Systems includes:

## Breathing Air Trailer



## MSA AirHawk 30 Min SCBA



## Cooling Trailer includes:

- Features:
  - Evaporator Cooling Fan System
  - Site Hook up – directly to rig power and water
  - 300-gal water tank
  - Enclosed Unit
  - Benches (up to 10 seats)
  - Safety Step/Rail/Sign
  - First Aid Station
  - Eyewash/Shower Station (optional)
  - Gas Generator
- Onsite Delivery/Pickup
- Eyewash/Shower Station is an option



## Multi-Gas Detector – Industrial Scientific B21 Area Monitor:

- Detector senses:
  - Lower Explosive Limit (LEL)
  - Carbon Monoxide (CO)
  - Hydrogen Sulfide (H<sub>2</sub>S)
  - Oxygen (O<sub>2</sub>)
  - Sulfur Dioxide (SO<sub>2</sub>)
  - Volatile Organic Compound (VOC)
- Features:
  - Can detect up to 6 gases using 15 Sensor options
  - Monitor run time of 7 days (168 hours)
  - Intrinsic Safety External Power Supply
  - Ultra-Bright Blue and Red Lights
  - Audible Alarms Sound at 108dB
  - Large Display
  - Intuitive Text Based Navigation and Configuration
- Includes:
  - Calibration Cup
  - Sample Tubing
  - Pump Inlet Water Barrier
  - Hand Tool
  - Charging Power Supply
  - Region Specific Cord





## BW GasAlert Max XT II Complete Confined Space Kit, XT-XWHM-Y-NA-CS:

- Gas Alert Max XT II 4-gas detector
- Charging adapter for detector
- IR Connectivity Kit with Fleet Manager II software
- Quad-mix calibration gas
- 0.5 LPM regulator
- 3 ft. calibration hose with quick connect
- 10 ft. sampling hose with metallic particulate filter and quick connect
- 5 spare hydrophobic and particulate pump filters
- Sampling probe (GA-PROB1-1)
- Reversible screwdriver
- Hard sided carrying case with foam case insert



## Otis OI-6900-EC Battery Powered WireFree Fixed Gas Detector for Oxygen or Toxic Gases:

- Non-intrusive calibration with MENU, ADD and SUB
- Glass lid for viewing amplifier display
- Explosion and Weatherproof custom Otis-blue enclosure
- Rapid response and cleaning time
- Rain/splashguard for sensor protection



## Confined Space Ventilation – Portable Ventilation Fan 12" w/ 16' Flexible Ducting:

- Two-Speed blowers
- Retractable ducting with straps
- Withstand temperatures of -20° to 180°F
- Ducts made with 2-ply reinforced, flame retardant polyvinyl



## Spill Kit:

- (1 ea) 55 Gallon Over Pack Drum
- (2 ea) 55 Gallon Rubber Trash Drums
- 100 Absorbent Pads (24" x 24")
- 100' 5" Absorbent Socks (Oil, Gas, Diesel – 10 ft. sections)
- Large box Contractor Clean Up Bags – Heavy Duty
- (1 ea) Large Shovel (24" wide)
- (10 ea) 50 lb bags Diatomaceous earth (kitty litter)
- (1 ea) Box Disposable Latex Gloves
- (3 ea) Tyvek Suits – White Universal Size
- (3 ea) Pair Nitrile Gloves
- (3 ea) Chemical Goggles
- (2 ea) Chemical Apron
- (3 ea) Face shield
- (2 ea) Bottles Eyewash Solution
- (2 ea) Industrial Flashlight
- (3 ea) Respirators (Half Mask with OV Cartridges)
- (1 ea) Box Dust Masks
- (1 ea) Roll Caution Tape

